



# EABOL

# ADMIRE 70 WDG

**INSECTICIDE (KIUA WADUDU) WETTABLE GRANULAR**

Systemic insecticide for control of thrips, aphids & whitefly on roses.

*(Kiua wadudu kipenyachio ndani ya mimea na kudhibiti thrips, aphids & whitefly kwenye wairidi).*

**COMMERCIAL AND AGRICULTURAL CLASS  
(KUNDI LA KILIMO NA BIASHARA)**

**GUARANTEE (DHAMANA):** Imidacloprid 700g/kg  
**REGISTRATION No. (NAMBARI YA USAJILI):** P-CPB(CR) 1299



**In case of an Emergency call Toll Free (24 hrs)**  
*(Wakati wa Dhuruwa piga Simu bila malipo  
(inapatikana masaa 24) kwa)*  
**No. 0800720021 / 0800730030**

**Shelf Life :** 2 years in original unopened container stored in a cool, dry & dark place  
*(Matasha Rafuuti: Mlaka mivuli toka tarehe ya kutengenezwa ikiwa kwenye vyombo vyake asili visivyofunguliwa kwenye sehemu tulivu na kavu.)*

**Batch No.** (Namba ya fungu):  
**Mfg Date** (Tarehe ya kutengenezwa):  
**Expiry Date** (Tarehe ya mwisho kutumika):

**AGENT (WAKALA)**  
**EAST AFRICAN BUSINESS CO., LTD.**  
P.O. BOX - 29024 - 00100 GPO, Nairobi, Kenya  
Mobile : +254 704 300391  
E-mail: eabcinted@gmail.com

**Manufacturer (Imetengenezwa na):**  
**NANJING ESSENCE FINE CHEMICAL CO. LTD.**  
9th Floor, No. 58, Nanhui Road,  
Nanjing, China



**CAUTION (ILANI)**

# ADMIRE 70 WDG

**MAELEZO:** ADMIRE 70 WDG ni dawa ipenyayo kwenye mimea na ina nguvu ya kuwaua wadudu waharibi kwa mguuso au kama sumu ya tumbo. Uwezo wake unadunnu kwa mimea kwa muda mrefu.

Imidacloprid iliyo ndani ya ADMIRE 70 WDG ni aina mpya ya kundi la sumu ya wadudu waharibi. Dawa hii ina madhara kidogo sana kwa wanyama.

**MAELEZO YA UTUMAJI:**  
**VIPIMO VYA MATUMIZI**

MMEA	WADUDU	KIPIMO
Wairidi	Thrips, aphids & whiteflies	Kwenye muchanga: gramu 600 kwa hekta (gramu 3 kwa Lita 20 ya maji)

**Wairidi:** Unashauriwa kufanya majaribio ya ustahimilivu kwenye mimea michache kabla ya kutumia kwa eneo kubwa.

**MUDA SALAMA WA KUINGIA PAHALI PAMENYUNYIZWA:** MASAA 12

**TAHADHARI KWA MTUMAJI:** Vaa mavazi maalum ya kinga k.v (overallis gumbootis, goggles, gloves and masks). Usile, usinwe wala kuvula sigara unapotumia dawa hii. Usilingie eneo lililonyunyizwa dawa kabla ya masaa 24 wapo hujavaa mavazi ya kinga. Osha mavazi ya kinga kabla ya kutumia tena.

**UHIFADHI NA UTUPAJI:** Hifadhi dawa hii kwenye mkoba wake asili uliotojikwa kamili na uweke mbali na watoto, yakula na wanyama. Mikoba tupu iostwe mara tatu, itobolewe na kuchorwa au kuzikwa mbali na miti, chemu chemu za maji na mavazi. Binadamu, kulingana na sheria za utupaji.

**MADHARA KWA MAZINGIRA:** Dawa hii ni sumu kwa nyuki, epuka kunyunyiza wakati nyuki wanapokatula chakula. Dawa hii ni sumu kwa samaki. Dawa yenyewe, mabaki yake au mikebe mitupu halifai kuchatua vindi mivi au miti.

**MAELEZO YA HUDUMA YA KWANZA:** Ikwutwa: Mpeleke aliye dhuruwa kwenye hewa safi na upate ushauri wa daktari. **Ikingia kwa macho:** Osha macho na maji yanayo tirika kwa muda wa dakika 15 huku ukiyachaa wazi. **Ikimewa:** Mpeleke mgonjwa kwa daktari mara moja. Usimlapishe mgonjwa ama kumpa chochote cha kunywa. Mapishe mhusika tu chini ya maagizo ya daktari.

**MAELEZO KUHUSU SUMU:** Dalili za sumu: Hizi ni pamoja na shida ya kupumua, apathy, myatomia, tremor na myospasm.

**Tiba la sumu:** Hakuna dawa maalum ya kuiondoa sumu. Tiba ni kulingana na dalili za maumivu.

**Arifa kwa Daktari:** Chunguza mpigo wa moyo na wa damu kwani yaweza kupungua. Mgonjwa akizilai au kupatwa na shida za kupumua asaidiwe kwa vitaa vya kupumua na pia vya kuimarisha pigo la moyo.

**IWAPO DHARURA:** Wasiliana na nambari hii isiyo malipo-0800720021/0800730030 (inapatikana masaa 24)

**ILANI KWA MTUMAJI:** Dawa hii sharti itumwe kulingana na maagizo yaliyo kwenye kibandiko. Ni hatia chini ya sheria za madawa ya kuangamiza wadudu waharibi kutumia au kuhitadhi dawa hii katika hali isiyosalama.

**THIBITISHO:** Dharama ya muuzaji ni maelezo yaliyo kwenye kibandiko, ambayo ni lazima yakutawe kikanalifu. Mhunuzi lazima akubali hatari zozote zinazoweza kutokana na matumizi ya dawa hii kwa binadamu au maji na lazima akubali dawa hii katika hali hiyo.

**DESCRIPTION:** ADMIRE 70 WDG is a powerful systemic insecticide with translaminar activity. It is dispersed acropetally and also possesses excellent root systemic action. It combines contact and stomach action for the thorough control of insect pests on crops and in the soil. ADMIRE 70 WDG (imidacloprid) shows low mammalian toxicity. It has long residual activity and when correctly handled can be used in integrated pest management programs.

**RECOMMENDATIONS FOR USE:**  
**APPLICATION RATES**

CROP	TARGET PEST	APPLICATION RATE/METHOD
Roses	Thrips, aphids & whiteflies.	Drench: 600gm/ha (3gm/20litre of water)

**Roses:** Always test for varietal tolerance on a few plants before large scale application.

**RE-ENTRY PERIOD:** 12 hrs

**PRECAUTION:** Wear protective clothing, overalls, gumboots, goggles, gloves and masks. Do not eat, drink or smoke while handling this product. Do not enter treated area within 24 hours of application unless protective clothing is worn. Wash all protective clothing before reuse.

**STORAGE AND DISPOSAL:** Store in original unopened container in a cool, dry, dark and well ventilated place, away from children livestock and foodstuff. Empty containers should be triple rinsed and the washings added to the tank. The container should then be punctured or burned or burnt in a suitable place away from water sources or human habitation, in accordance with national regulations and legislation. Do not use containers for any other purpose.

**ENVIRONMENTAL HAZARDS:** ADMIRE 70 WDG is toxic to bees. Unless drenching, do not apply when bees are actively foraging. It has moderately low toxicity to fish. Do not contaminate water sources with product, its washings or empty containers.

**FIRST AID INSTRUCTIONS:** **If in contact with skin:** Wash with plenty of clean water and soap. **If in contact with eyes:** Flush eyes with running water for at least 15 minutes. **If inhaled:** Move person to fresh air. Call for medical attention. **If ingested:** Call for medical attention urgently. Do not induce vomiting or give liquids. Vomiting should be induced only under professional supervision.

**TOXICOLOGICAL INFORMATION: Symptoms of poisoning:** These include apathy, myatomia, tremor, difficult breathing and myospasms. **Antidote:** No known antidote. Treat symptomatically.

**Note to the physician:** Apply symptomatic treatment. Monitor blood pressure and pulse rate frequently. Since bradycardia and drop in blood pressure may occur, artificial breathing and heart action are recommended. Eliminate the active ingredient through gastric lavage and saline laxatives.

**In case of Emergency Call Toll free No. 0800720021 / 0800730030 (24 hrs)**  
**NOTICE TO USER:** This pest control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use or store a pest control product under unsafe conditions.

**WARRANTY:** Seller's guarantee is limited to the terms set out on the label and subject thereto. The buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.