

DESCRIPTION: AFIFEN 10.8EC acts as an insect juvenile hormone analogue that inhibits insect maturation processes.

MODE OF ACTION: Insect growth regulator; suppressor of embryogenesis, inhibitor of metamorphosis and inhibitor of reproduction.

RECOMMENDATIONS FOR USE: Use as foliar spray on the incidence of pest & repeat after 10 days.

APPLICATION RATES

CROP	TARGET PEST	APPLICATION RATE	RATE PER PER 20 LITRE
Roses and Carnations	Thrips, Aphids and White Fly	1ltr per ha in 1000 L of water	20ML (Use 500L of water per ha)

Re-entry: 6 hours

Note: Always test for varietal tolerance on a few plants before large scale application.

USE LIMITATIONS: AFIFEN 10.8EC is a protectant in action. Best results are achieved when it is applied before pest incidence or immediately after the appearance of the pest. Thorough coverage of the plant surfaces is needed.

HAZARDS AND PRECAUTIONS: Handling Precaution: Keep out of reach of children, away from foodstuff, empty foodstuff containers and animal feeds. Do not breathe spray mist or dust or allow it to come in contact with eyes and skin. Keep away from fire and sparks. Do not allow the product to become wet or overheated in storage. Use overall gloves, and mask when handling. Do not eat, drink or smoke while handling this product.

Safety When Mixing: Avoid contact and inhalation with the product when mixing. Avoid contamination from spray liquid by spillage or drift.

Safety When Spraying: Wear full protective clothing and avoid inhalation of the spray mist. Spray in the direction of the wind.

Safety After Spraying: Wash hands and body thoroughly after spraying. Do not reuse empty container. Dispose the empty container safely.

STORAGE: Store AFIFEN 10.8EC under lock and key and out of reach of children in a cool dry place away from food, feed and animals. Keep away from fire and sparks. Do not allow to become wet or overheated in storage. Avoid exerting pressure on the powder. Store below 30°C

DISPOSAL: Triple rinse the container. Do not re-use the empty container for any other purposes or leave the empty container outside to prevent their re- use. Burn or bury in a safe place away from open water sources.

ENVIRONMENTAL HAZARDS: Harmful to fish. Do not contaminate ponds or water sources and ditches with this product. AFIFEN 10.8EC is non toxic to bees.

FIRST AID INSTRUCTIONS: If poisoning is suspected, stop work immediately. Check any signs of distress. Remove the victim from area of contamination and if clothing is contaminated remove it. **Skin contact-** Remove contaminated clothing, wash with plenty of water and soap. If irritation persists, see a physician. **Eye contact** – Rinse eye gently with running water for atleast 15 minutes. **Inhalation** – Remove victim to fresh air. If not breathing, give artificial respiration preferably mouth to mouth. Get medical attention. **Ingestion** – Do not induce vomiting unless instructed to do so by qualified medical personnel. If conscious, give individual two glasses of water to drink and get medical attention.

TOXICOLOGICAL INFORMATION:

Symptoms of Poisoning: Itching, reduced nasal ingestion, tightness in chest, palpitation and hypertension. Ingestion may produce nausea, vomiting and diarrhoea. Hypothermia and ataxia are characteristic.

Antidote: No specific antidote known. Treat symptomatically.

Notice to Physician: No specific treatment is available and symptomatic therapy only is possible.

In case of Emergency Call Toll free No. 0800720021 / 0800730030 (24 hrs)

NOTICE TO USERS: This pest control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use or store a pest control product under unsafe conditions.

SELLER'S GUARANTEE (WARRANTY): Seller's guarantee is limited to the terms set out on the label and subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on the condition.



AFIFEN[®] 10.8 EC

INSECTICIDE EMULSIFIABLE CONCENTRATE

An insecticide growth regulator for control of thrips, aphids and white fly on roses and carnations.
(Kuwia wadudu kinachodhibiti ukuaji wa wadudu (thrips), aphids na white fly waharibifu kwenye waridi na carnations)

COMMERCIAL AND AGRICULTURAL CLASS (KUNDI YA BIASHARA NA KILIMO)
GUARANTEE (DHAMANA): Pyriproxifen 10.8 EC
REGISTRATION NO.(NAMBARI YA USAJILI): PCPB(CR): 1410



READ THE LABEL BEFORE USING (SOMA KIBANDIKO KABLA YA KUTUMIA) KEEP LOCKED AND OUT OF REACH OF CHILDREN (JUNJIA MBALI NA WATOTO)

NET CONTENTS (KIASI): **1 Litre**

In case of an Emergency call Toll Free No. (24hrs)
(Wakati wa Dharura piga Simu bila malipo (inapatikana masaa 24)
0800720021 / 00800730030

AGENT/ REGISTRANT (WAKALA/MSAJILI):
EAST AFRICAN BUSINESS CO. LTD.
P.O. BOX - 29024 - 00100 GPO
Nairobi, Kenya
Office : +254 736 896 266
E-mail: info@eabusinesscompany.com

MANUFACTURER / IMETENGENEZWA NA:
NANTONG SHIZHUANG CHEMICAL CO. LTD.
No. 88; Renmin West Road; Nantong
Jiangsu 226005; P.R. China

EXPORTER (MUNUNUJAI BIDHAA YA NJE):
SHANGHAI QIAOJI INTERNATIONAL CO. LTD.
25th Floor, No. 2911,
zhongsham Road (N), Shanghai,
China

Batch No. (Nambari ya fungu):
Mfg Date (Tarehe ya kutengenezwa):
Expiry Date (Tarehe ya mwisho kutumika):

Sheif Life (Maisha Rafuni): 2 years in original unopened container stored in a cool, dry & dark place (Mika miwili taka tarehe ya kutengenezwa ikiwa kwenye vyombo vyake asili visivyokungulwa kwenye sehemu tulivu na kavu.)

AAK Membership No. 389



MAELEZO: AFIFEN 10.8EC hudhibiti ukuaji wa homoni iliyomo kwa hivyo kupokuza ukuaji wa wadudu.

INAVYOFANYA KAZI: Udhhibiti ukuaji wa wadudu; inapunguza ukuaji wa kiinitete (embryo) kuwa ya. upokuza metamorphosis na uzalishaji wa wadudu.

MAELEZO YA UTUMIAJI: Hutumika kama dawa ya kunyunyiza kwenye matawi wakati wadudu waharibifu wanapoonikana na kurudia baada ya siku 10

VIPIMO VYA MATUMIZI

MMEA	WADUDU	KIPIMO	KIPIMO KWA LITA 20
Waridi na carnations	Thrips, Aphids and White Fly	Lita1/ha Kwa Lita 1000 za maji	Milita 20 (Tumia Lita 500 za maji kwa hekta)

Muda salama wa kuingia palipo nyunyiziwa dawa: masaa 6

Kumbuka: Unashauriwa kufanya majaribio ya ustahimilifu kwenye mimea michache kabla ya kutumia kwa eneo kubwa.

VIZUIZI KWENYE MATUMIZI: AFIFEN 10.8EC ni dawa ya kudhibiti wadudu waharibifu. Kwa hivyo inatoa matokeo mazuri ikiwa imenyunyiziwa kwa mimea kabla ya au wakati wadudu waharibifu wanapoonikana.

HATARI NA HANDHARI: Hadhari Unapotumia: Weka mbali na watoto, vyakula vya watu na wanyama, na pia mikopo tupu ya vyakula. Usipumue dawa au mvuke wa dawa na usiruhusu dawa kugusana na ngozi au macho. Usiruhusu dawa kuloa ama kupata joto katika chombo cha kuhifadhi. Tumia overall, mifuko ya mikono na mavazi ya kufunikia uso. Usile au kunywa au kuvuta sigara wakati unapoitumia.

Usalama Wakati wa Kunyanganya: Jihadhari kushika vumbi au kipumua mvuke wa dawa unapochanganya. Kinga/epuka kutia uchafu wa dawa kutokana na kutapanya au mkondo wa dawa

Usalama Unoponyunyiza: Vaa kinga maalum, jihadhari kipumuwa mvuke wa dawa. Nyunyiza kuelekeza upande wa uepeo.

Usalama Baada Ya Kutumia: Nawa mikono na mwili vizuri baada ya kunyunyiza. Usitumie mikopa mitupu kwa kazi ingine yeyote. Tupa vyema mikopa mitupu.

UHIFADHI: Weka AFIFEN 10.8EC mahali ni mbali kufikiwa na watoto au wanyama. Weka mbali na moto na ndimi zake. Usiweke dawa kama inafinyana. Weka mahali kipimo cha moto hakizidi 30°C.

UTUPAJI: Usitumie kopo tupu kwa kazi nyingine yeyote. Choma au zika mahari pazuri mbali na maji.

ADHARI KWA MAZINGIRA: Inadhuru samaki. Usichafue vidimwi au chemichemi za maji na mitaro na dawa hii. AFIFEN 10.8EC si hatari kwa nyuki.

MAELEZO YA HUDUMA YA KWANZA: Ukiwa unahisi dalili za sumu, simamisha kazi mara moja. Toka mahali ambapo pamechafuliwa na kama nguo imechafuliwa itoe. **Kama imeguza ngozi:** Toa nguo ambazo zimechafuliwa, kisha oga kwa maji mengi safi na sabuni.

Kama imo kwa macho: Osha mara moja na maji safi kwa dakika kumi au zaidi. **Kama ameipumua:** Mwendoe aliyeipumua na umweke kwa hewa safi na kama hapumui fanya uvutishaji hewa kupitia mdoma kwa mdomo. utafute matibabu zaidi. **Kama imemezwa:** Usimtapishe, ispokuwa imeamuriwa na daktari. Kama anafahamu mpatie mhadhiriwa glasi mbili za maji na kisha pata ushauri wa daktari.

MAELEZO KUHUSU SUMU ILIYOMO: Dalili za Sumu: Mwasho, upungufu wa kumeza, kukazwa kwa kifua, mpatatiko wa moyo na hypertension. Ukila yaweza kusababisha kichefuchefu, kutapika na kuhara.

Tiba: Hamna tiba maalum. Inashauriwa daktari atibu kulingana na maumivu.

ILANI KWA DAKTARI: Hamna tiba kamili, tib u kulingana na maumivu.

IWAPO DHARURA: Wasiliana na nambari hii isiyi malipo-0800720021/0800730030 (inapatikana masaa 24)

ILANI KWA MTUMIAJI: Dawa hii ni sharti itumiwe kulingana na maagizo yaliyo kwenye kibandiko. Ni hatia chini ya sheria za madawa ya kuangamiza wadudu, kutumia au kuhifadhi dawa hii katika hali isiyio salama.

THIBITISHO: Dhamana ya muuzaji ni maelezo yaliyo kwenye kibandiko, ambayo ni lazima yafuatwe. Mnunuzi lazima akubali hatari zozote zinazoweza kusababishwa na matumizi ya dawa hii na lazima aikubali dawa hii katika hali ilivyo.