






Handwritten notes at the top of the page, including "No. 24 hrs / Wakati wa dhuru piga" and "Simu bila malipo / Inapatikana masaa 24".

# AFRIZER<sup>®</sup> 75WDG

## FUNGICIDE

### WATER DISPERSIBLE GRANULES



A fungicide for the control of downy mildew disease in Roses.  
(Kiua kuuu cha kudhibiti ugorijwa ya downy mildew kwenye wariidi)

COMMERCIAL & AGRICULTURAL CLASS  
(KUNDI LA BIAHARA NA KILIMO)  
GUARANTEE (DHAMANA) Mancozeb 750g/kg  
REGISTRATION NO. (NAMBARI YA USAJILI): PCPB (CR) 1250

READ THE LABEL BEFORE USING  
(SOMA KIBANDIKO KABLA YA KUTUMIA)  
KEEP LOCKED AND OUT OF REACH OF CHILDREN  
(FUNGIA MBALI NA WATOTO)

In case of an Emergency call Toll Free No. (24 hrs) / Wakati wa dhuru piga Simu bila malipo / Inapatikana masaa 24  
08100730030

Shelf Life: 2 years in original unopened container stored in a cool, dry & dark place. (Maisha Bahari): Mwezi 24 mwa kutiwa katika hali ya kusimamiwa kwa kuuwa, mvumbwi, na kuuwa. (Tarehe ya kutimwa): 24 mwa kutiwa katika hali ya kusimamiwa kwa kuuwa, mvumbwi, na kuuwa.

AGENT: EAST AFRICAN BUSINESS CO., LTD. P.O. BOX: 7434 - 01100 GPO Nairobi, Kenya Office Line: +254 736 836 366 Mobile: +254 704 300391 E-mail: eabc-iread@gmail.com

MANUFACTURED BY: SABERO ORGANICS GUJARAT LIMITED A-332 PHOSNIYA HOUL 462 51 NARIPAT BAHAT MAHG W0 (LIL) MUMBAI, INDIA - 400 013

NET CONTENTS (KIASI) 10Kg



# AFRIZER<sup>®</sup> 75WDG

## FUNGICIDE

### WATER DISPERSIBLE GRANULES

**DESCRIPTION:** AFRIZER 75 WDG is a broad spectrum, non-systemic fungicide with protective action against downy mildew disease in Roses. It is a highly effective, low toxicity, non-buty granular fungicide that quickly disperses and adheres to plant surfaces.

**MODE OF ACTION:** When exposed to air, Mancozeb is converted to zinc dimethyl dithiocarbamate which inhibits the S11 enzyme in the enzymes of the fungi responsible for the growth of the fungi on the plant.

**Thinking of Application:** To be effective, AFRIZER 75 WDG must be used as a preventative spray and therefore applied before disease appears. Repeat sprays every 7-14 days. Repeat sprays if the weather is cold and wet, the spray may be reduced to 4 days.

**DIRECTIONS FOR USE:** Mix the required amount of AFRIZER 75 WDG with clean and sufficient water in a bucket to make a thin paste. Pour paste into the bulk of water in the spray tank as you go along.

CROP	DISEASE	RATE / 20L	RATE / HA
Roses	Downy Mildew	40gms	1.5kg/2.0kg

**RE-ENTRY PERIOD: 6 Hours**  
**USE LIMITATIONS:** AFRIZER 75 WDG is a protectant in action. Best results are achieved when it is applied before disease onset or immediately after the appearance of the symptoms. Thorough coverage of the plant surfaces is needed.

**HAZARDS AND PRECAUTIONS: Handling Precautions:** Keep out of reach of children, away from foodstuffs, empty foodstuff containers and animal feeds. Do not breathe spray mist or dust or in contact with eyes and skin. Keep away from fire and sparks. Do not allow the product to become wet or overheated in storage. Use overall, gloves, and mask when handling. Do not eat, drink or smoke while handling this product.

**Safety When Mixing:** Avoid contact and inhalation with the powder when mixing. Avoid contamination from spray liquid by spillage or drift.

**Safety When Spraying:** Wear full protective clothing and avoid inhalation of the spray mist. Store in the direction of the wind.

**Safety After Spraying:** Wash hands and body thoroughly after spraying. Do not reuse empty container. Dispose the empty container safely.

**STORAGE:** Store AFRIZER 75 WDG under lock and key and out of reach of children in a cool dry place away from food, feed and animals. Keep away from fire and sparks. Do not allow to become wet or overheated in storage. Avoid breathing pressure on the powder. Store below 30°C.

**DISPOSAL:** If you finish the bags, do not re-use the empty bags for any other purposes or leave the empty bags outside to prevent their re-use. Burn or bury in a safe place.

**ENVIRONMENTAL HAZARDS:** Harmful to fish. Do not contaminate ponds or water courses and ditches with this product. AFRIZER 75 WDG is not toxic to birds.

**FIRST AID INSTRUCTIONS:** If poisoning is suspected, stop work immediately. Check any signs of distress. Remove the victim from area of contamination and if clothing is contaminated, remove it. Skin contact: Remove contaminated clothing, wash with plenty of water and soap. If irritation persists, see a physician. Eye contact - Flush eyes gently with running water for atleast 15 minutes. Inhalation - Remove victim to fresh air. If not breathing, give artificial respiration preferably mouth to mouth. Get medical attention. Ingestion - Do not induce vomiting unless requested to do so by qualified medical personnel. If conscious, give individual two glasses of water to drink and get medical attention.

**Antidote:** No specific antidote known. Treat symptomatically.

**Toxicological Information:** Symptoms of Poisoning: Irritation, reduced nasal inspiration, tightness in chest, palpitation and hypertension. Irritation may produce nausea, vomiting and diarrhoea. Hypothermia and ataxia are characteristic.

**Notice to Physician:** No specific treatment is available and symptomatic therapy only is possible.

**In case of Emergency Call Toll Free No. 08100730030 (24 hrs) NOTICE TO USERS:** This pest control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use or store a pest control product under unsafe conditions.

**SELLER'S GUARANTEE (WARRANTY):** Seller's guarantee is limited to the terms set out on the label and subject thereto, the buyer assumes the risk to the product or property arising from the use or handling of this product and accepts the product on the condition.

**MUDA SALAMA WA KUNINGIA PAHALI PALUPO NITINTIWA: Masaa 6**  
**VIZUZI KWENYE MATUMIZI:** AFRIZER 75 WDG ni dawa ya kuzuia ugorijwa. Kwa hivyo inatoa matokeo mazuri kwa mienyusiziwa kwa mimea kabla ya au wakati dawa ya ugorijwa zinapochukwa kuonekana.

**HATARI NA HANDBARI: Hadihari Uingopotumia:** Waka mkaa wa wakati, yaka wa watu wa wanyama, na pia mikoko yuu vs waka. Usikumu wakuu au ukawa wa dawa na usichusu dawa kugawana na ng'ani au mado. Usichusu dawa tuke ana kuzua pia dawa zinoozwa kutokana. Tuma owarid, mado ya mionzi na mado ya kutandaa uso. Uka au kutandaa au tovuti soga wakati unapokutana.

**Ushala Waka:** wa kunyunguzwa. Jihadihari kushika wariidi au kigumu mkuu wa dawa unapochukanywa. Kig'epuka kuta uchetu wa dawa kuzokana na kutapanya au mionzi wa dawa.

**Ushala Unopotumizwa:** Vaa Nguza maalum, jiriditari kigumu mkuu wa dawa. Nyuzizi kulekwa upanda wa uropo.

**Ushala Baada ya Kutumia:** Nawa mikonzo na mwa kuti baada ya kutumizwa. Usikumu mado mado kwa kig'epo yoyote. Tapa yama mado mado.

**UNDBARI:** Waka mkaa ni mado na ndani zake. Usiwake dawa kama mshayana. Waka mkaa kig'epo oha moto haka 30°C.

**UTUJAJI:** Usitumie kopo kwa kazi nyugale yoyote. Choma au zika nafari pazuri maa ni maa.

**ADHARI KWA MAZINGIRA:** hadi kutu samaki. Usikumu vidimwi au chemchemi za maji na mado na dawa ni AFRIZER 75 WDG si nafari kwa nyuki.

**MAELEZO YA HUDHUKA YA KWANZA:** Ukweli maa ni dawa ya kuzuia ugorijwa. Taka maa ni dawa ya kuzuia ugorijwa. Taka maa ni dawa ya kuzuia ugorijwa. Taka maa ni dawa ya kuzuia ugorijwa.

**MAELEZO YA HUDHUKA YA KWANZA:** Ukweli maa ni dawa ya kuzuia ugorijwa. Taka maa ni dawa ya kuzuia ugorijwa. Taka maa ni dawa ya kuzuia ugorijwa.

**MAELEZO YA HUDHUKA YA KWANZA:** Ukweli maa ni dawa ya kuzuia ugorijwa. Taka maa ni dawa ya kuzuia ugorijwa. Taka maa ni dawa ya kuzuia ugorijwa.

**MAELEZO YA HUDHUKA YA KWANZA:** Ukweli maa ni dawa ya kuzuia ugorijwa. Taka maa ni dawa ya kuzuia ugorijwa. Taka maa ni dawa ya kuzuia ugorijwa.

**MAELEZO YA HUDHUKA YA KWANZA:** Ukweli maa ni dawa ya kuzuia ugorijwa. Taka maa ni dawa ya kuzuia ugorijwa. Taka maa ni dawa ya kuzuia ugorijwa.

**MAELEZO YA HUDHUKA YA KWANZA:** Ukweli maa ni dawa ya kuzuia ugorijwa. Taka maa ni dawa ya kuzuia ugorijwa. Taka maa ni dawa ya kuzuia ugorijwa.

*Draft label approved for 3 months  
subject to submission of final label and  
package*

# EAEROL

# AFRIZER

FUNGICIDE

WATER DISPERSIBLE GRANULES

75WDG

A fungicide for the control of downy mildew disease in Roses.  
(Kiua kuvu cha kudhibiti ugonjwa ya downy mildew  
kwenye waridi)



COMMERCIAL & AGRICULTURAL CLASS  
(KUNDI LA BIASHARA NA KILIMO)

GUARANTEED (DHAMANA) Mancozeb 750g/kg  
REGISTRATION NO. (NAMBA RI YA USAJILI): PCPB (CR) 1250

READ THE LABEL BEFORE USING  
(SOMA KIBANDIKO KABLA YA KUTUMIA)  
KEEP LOCKED AND OUT OF REACH OF CHILDREN  
(FUNGIA MBALI NA WATOTO)

In case of an  
Emergency call Toll Free  
No. (24 hrs) / Wakati wa dhuruwa piga  
Simu bila malipo (Inapatikana masaa 24)

0800720021 / 0800730030

AGENT (AGENTI)

**EAST AFRICAN BUSINESS CO., LTD.**  
P.O. BOX - 29024 - 00100 GPO, Nairobi, Kenya  
Office Line : +254 704 736 896 766  
Mobile : +254 704 300391  
E-mail: eabcblimited@gmail.com

Shelf Life : 2 years in original unopened container  
stored in a cool, dry & dark place. (Malisha Rafunzi:  
Mleka miwili toka tarehe ya kutengenezwa ikawa  
kwenye vyombo vyake asili visivyofunguliwa  
kwenye sehemu tuliko na kawu.)

MANUFACTURER (MTEGENEZWA NA):  
**SABERO ORGANICS GUJARAT LIMITED**  
A-302, PHOENIX HOUSE,  
462, SENAPATI BAPAT MARG,  
WORLI (E),  
MUMBAI, INDIA - 400 013

NET CONTENTS  
(KIASI):  
**10Kg**



CAUTION

# AFRIZER

75WDG

WATER DISPERSIBLE GRANULES

FUNGICIDE

**DESCRIPTION:** AFRIZER 75 WDG is a broad spectrum, non systemic fungicide with protective action against downy mildew disease in Roses. It is a highly protective, free flowing, non dusty granular fungicide that quickly disperses and

**MODE OF ACTION:** When exposed to air, Mancozeb is converted to zinc sulphide which inhibits the S1 groups in the enzymes of the fungi stopping the growth of the fungi on the leaves. **Tuning of Application:** To be effective, AFRIZER 75 WDG must be used as a preventative spray and therefore applied before disease appears. Repeat sprays every 7-14 days. Repeat sprays if the weather is cold and wet, the interval may be reduced to 4 days.

**DIRECTIONS FOR USE:** Mix the required amount of AFRIZER 75 WDG with clean and sufficient water in a bucket to make a thin paste. Pour paste into the bulk of water in the spray tank as you agitate.

CROP	DISEASE	RATE / 20L	RATE / Ha
Roses	Downy Mildew	40gms	1.5kg/2.0kg

**RE-ENTRY PERIOD:** 6 hours

**USE LIMITATIONS:** AFRIZER 75 WDG is a protectant in action. Best results are achieved when it is applied before disease onset or immediately after the appearance of the symptoms. Thorough coverage of the plant surfaces is needed.

**HAZARDS AND PRECAUTIONS: Handling Precautions:** Keep out of reach of children, away from foodstuff, empty foodstuff containers and animal feeds. Do not breathe spray mist or dust or in contact with eyes and skin. Keep away from fire and sparks. Do not allow the product to become wet or overheated in storage. Use overall, gloves, and mask when handling. Do not eat, drink or smoke while handling this product.

**Safety When Mixing:** Avoid contact and inhalation with the powder when mixing. Avoid contamination from spray liquid by spillage or drift.

**Safety When Spraying:** Wear full protective clothing and avoid inhalation of the spray mist. Spray in the direction of the wind.

**Safety After Spraying:** Wash hands and body thoroughly after spraying. Do not reuse empty container. Dispose the empty container safely.

**STORAGE:** Store AFRIZER 75 WDG under lock and key and out of reach of children in a cool dry place away from food, feed and animals. Keep away from fire and sparks. Do not allow to become wet or overheated in storage. Avoid long pressure on the powder. Store below 30°C.

**DISPOSAL:** Empty the bags. Do not re-use the empty bags for any other purposes or leave the empty bags outside to prevent their re-use. Burn or bury in a secure place away from water courses.

**ENVIRONMENTAL HAZARDS:** This fungicide is not toxic to bees, birds, sources and fishes with this product. AFRIZER 75 WDG is not toxic to fish.

**FIRST AID INSTRUCTIONS:** If poisoning is suspected, stop work immediately. Check any signs of distress. Remove the victim from area of contamination and if clothing is contaminated remove it. **Skin contact:** Remove contaminated clothing, wash with plenty of water and soap. If irritation persists, see a physician. **Eye contact:** Rinse eye gently with running water for atleast 15 minutes. **Inhalation:** Remove victim to fresh air. If not breathing, give artificial respiration preferably mouth to mouth. **Get medical attention.** **Ingestion:** Do not induce vomiting unless instructed to do so by qualified medical personnel. If conscious, give individual two glasses of water to drink and get medical attention.

**Antidote:** No specific antidote known. Treat symptomatically.

**Toxicological Information:** Symptoms of Poisoning: Itching, reduced nasal ingestion, tightness in chest, palpitation and hypertension. Ingestion may produce nausea, vomiting and diarrhoea. Hypothermia and ataxia are characteristic.

**Notice to Physician:** No specific treatment is available and symptomatic therapy only is possible.

**In case of Emergency Call Toll free No. 0800720021 / 0800730030 (24 hrs)**  
**NOTICE TO USERS:** This pest control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use or store a pest control product under unsafe conditions.

**SELLER'S GUARANTEE (WARRANTY):** Seller's guarantee is limited to the terms set out on the label and subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on the condition.

**MAELEZO:** AFRIZER 75 WDG ni dawha inayopakiza ugonjwa wa downy mildew katika mimea ya Waridi. Ni dawha yenye nguvu, ina mifiriko sawa, ina tina chenbo zisizo kuwa na vumbi na inazoa taranviwa na kuriginiza ndani ya maji.

**JINSI INAVYOFANYA MAZI:** Kiweka kwa mimea, maracoto, ingepaka kuwa isothochyeta ambayo inashambirika ukungu kwa kuzuba maracoto kweka katika mimba.

**MAKATI WA KUTUMIWA:** Nyunyiza ukiona dalili za maracoti na kila baada ya siku sata au kumi na nne. Kama kuna baridi hewani ama kunanyesha, unaweza kunyunza kila baada ya siku nne.

**JINSI YA KUTUMIWA:** Weka kipimo cha dawha ya AFRIZER 75 WDG na maji safi katika ndoo ili kutengeneza pasi nyipisi. Mweka pasi kwenye maji ndani ya tanki. Hakikisha umeharaganya vizuri.

MIMEA	UGONJWA	KIASI/LITRA 20	KIASI / HA
Waridi	Downy Mildew	gramu 40	kilo 1.5- 2.0

**MUDA SALAMA WA KUNINGIA PAHALI PALIPO NYINYIZIWA: Masaa 6**  
**VIZUZI KWENYE MATUMIZI:** AFRIZER 75 WDG ni dawha ya kuzua ugonjwa. Kwa hivyo itatoa matukio mazuri kwa inenyunziwa kwa mimea kabla ya au wakati dalili za ugonjwa zinapocua kuonekana.

**HATARI NA WANDHARI: Hadihari Unapomiza:** Weka mbali na watoto, vyakula wa watu na wanyama, na pia mikopo tubu ya vyakula. Usiutumie vumbi au mweka wa dawha na usibuhusu dawha kugusana na ngao za macho. Usiuhusu dawha kubo ana kupata pito kabla chombo cha kuhitaji. Tuma overat, miuko ya mikoro na mazao ya kutunuka usi. Ulele au kunywa au kuvuta sigara wakati unapomiza.

**Usalama Wakati wa Kunyunganywa:** Jihadithi kushika vumbi au kupumua mvuke wa dawha unapochanganywa. Kringepaka kutia uchumi wa dawha kutokana na kulapanya au mikondo wa dawha.

**Usalama Unoponyywa:** Vaa kinga maalum, jihadithi kpumua mvuke wa dawha. Nyunyiza kuweka upande wa upendo.

**Usalama Baada wa Kutumia:** Nawa mikoro na maji vizuri baada ya kunyunguza. Usitume mikopo miuko kwa kazi ingine yetote. Tupa yema mikopo miuko.

**UHAFARI:** Weka mbali na mtoto na ndimi zake, Usiwake dawha kama matinyara. Weka mbali kipimo cha moto haka 30°C.

**UTUPAJI:** Usitume kopo tubu kwa kazi nyingine yetote. Chroma au zika majani pazuri mbali na maji.

**ADHARI KWA MAZINGIRA:** Inachuru sana! Usichukue vidimiwi au chemchemi za maji na milaro na dawha hi. AFRIZER 75 WDG si nzazi kwa nyuki.

**MALEZO YA HUDUMA YA KWANZA:** Ukwia walisidi dalili za sumu, simanishi kazi mara moja. Tola mbali ambapo pamechukuliwa, na kama ng'ombe imarutawia toka. **Kama ingezua ng'ombe:** Tola ng'ombe ambazo zimechukuliwa, kisha oga kwa maji mengi safi na sabuni. **Kama imo kwa macho:** Omba mara moja na maji safi kwa dakika kumi au zaidi. **Kama amepumua:** Mvondo aliyepumua na umweka kwa hewa safi na kama hapumui linya uvulizaji hawe kupita ndomo kwa mdomo, utalule matibabu zaidi. **Kama limezawa:** Usimlipozha, isokawa msumarua na delalari. Kama anataratimu mpale mhadhihwa gase mbali za maji na kisha pata ushauri wa dokta.

**The:** Haina tibia masikini. Inesababisha delalari alibu kulungana na maumwi.

**MALEZO KUHUSU SUMU LYIOMIC: Dalili za Sumu:** Mweono, upungu wa kumiza, kukazwa kwa khatu, mpaatiko wa moyo na hypertension. Ulela yeweza kusababisha kikolekolekole, kulapika na kuhara.

**LIANI KWA DHARTAR:** Haina tibia kamili, ibu kulungana na maumwi. **LIANI KWA DHARTAR:** Wasiliana na namburi hi isyo **LIANI KWA MTUMIAJI:** Dawha hi ni sharti tumwe kulungana na maaizo yaliyo kwenye kibandiko. Ni hali chini ya sharia za madawa ya kuzengizwa waabuu, kutumia au kuhitaji dawha hi katika maji isyo salama.

**THIBITISHO:** Dhama ya muuzaji ni maalizo yaliyo kwenye kibandiko, ambayo ni lazima yatawaje. Mkuruzi lazima akubali hatari zote zinazoweza kusababishwa na matumizi ya dawha hi na lazima akubali dawha hi katika maji isyo.