

### FIRST AID INSTRUCTIONS

**Inhalation:** move the patient to fresh air. Seek medical attention.  
**Contact with the skin:** remove contaminated clothing immediately. Wash contaminated skin areas with soap or mild detergent and large amount of water. Get medical attention if symptoms persist.  
**Contact with the eye:** wash thoroughly with running water or normal saline solution and obtain medical aid.  
**Ingestion:** do not induce vomiting, do not give anything to unconscious patient. Wash the mouth and keep the patient calm. Seek medical attention as soon as possible.

### TOXICOLOGICAL INFORMATION/NOTE TO PHYSICIAN:

Agrixyl 407 is harmful if swallowed, inhaled or absorbed through skin and causes moderate eye irritation.

### Symptoms of poisoning

May include slight eye irritation, increase of contact with eyes or skin irritation.

**Antidote:** No known specific anti-dote.

**Treatment:** Treat symptomatically.

**In case of poisoning call toll free number: 08007210020/0800730030 (24hrs)**

### NOTICE TO USERS

This pest control product is to be used in accordance with the directions on the label, it is an offence under the pest control product act to use or store pest control product under unsafe conditions.

### WARRANTY

Sellers guarantee is limited to the terms set out on the label and subject hereto. The buyer assumes the risk to persons or property arising from the use of this product and accepts the product on that conditions.

### Manufactured by:

**PARIJAT**  
PARIJAT INDUSTRIES (INDIA) PVT. LTD.  
M - 77, M Block, Market, Greater Kailash - II,  
New Delhi 110048, India.  
Phone: +91 11 41638091/82193  
E-mail: product@parijatagrochemicals.com



**Agent / Distributors**  
**Agent: Wasambarajai:**  
Old Airport North Rd,  
P.O. Box 30327-00100, Nairobi  
Tel: 0719 085800  
Email: Fert@amirankenya.com  
www.amirankenya.com

DRAFT LABEL APPROVED SUBJECT TO  
SUBMISSION OF FINAL LABEL AND PACKAGE  
VALID FOR 3 MONTHS ONLY

08 JUN 2012

PEST CONTROL PRODUCTS BOARD  
Agrixyl 407

### MALEZO

Agrixyl 407 ni dawa ya kuvu inayo dhidi magonjwa ya 'downy mildew' kwa waridi na 'early and late blight' kwa vizi.

### JINSI INAYOFANYA KAZI

Agrixyl 407 huangamiza magonjwa kwa njia tofauti na madawa huhimisha kinga ya mimea dadi ya magonjwa.

### WAKATI WA KUNYUNYIZIA

Nyunyiza Agrixyl 407 wakati hali ya hanga inapendelea kukua kwa magonjwa kabla ya mimea kuambukizwa, endelea kutumia Agrixyl 407 katika ratiba ya siku 7-14 kulingana na hali ya hewa na maambukizi ya magonjwa.

### Mapendekezo ya matumizi

Mimea	Ugonjwa	Kiwango cha matumizi
Vizi	"Early and late blight"	2.5L/Ha, 50ml/20L
Waridi	"Downy mildew"	2.5L/Ha, 50ml/20L

### "Spray Volume 1000L"

### Kufayarisha dawa

Weka maji nusu mtungi na uchanganye vizi. Ongeza kiwango kinachotajika cha Agrixyl 407 halafu ongeza kiwango cha maji kama inavyopendekezwa. Hakikisha kuwa umetumia mchanganyiko wa dawa siku hile hile iliyotarishwa.

### Upatanishi

Agrixyl 407 huchanganika vizuri na madawa ya kuwa wadudu na kuangamiza magonjwa isipokuwa yale yenye madini ya shaba nyekundu.

### MUDA SALAMA WA KUNINGIA SHAMBANI

**Jumba la mimea:** baada ya mchanganyiko wa dawa kukauka  
**Shamba la kawaida:** baada ya masaa 12.

### MUDA SALAMA WA KUVANA

**Vizi:** baada ya siku 7

### TAHADHARI

**Matumizi:** vaa vizi vya mikono na uso na nguo la kujikinga unapotayarisha na kunyunyiza dawa hi. Jihadithi usipumee mwuke wa dawa, usifike kwenye macho au kumwagika ngozi na nguo ulizovalia. Usinyunyize dawa hi ukielekea upande upepo unatokaka. Usivute sigara na usile wada kunywa wakati unapotumia dawa hi.

### Baada ya kazi

Vua nguo za kazi na vizi vya kujikinga, oga mwili na uvae nguo safi. Safisha mavazi ya kujikinga kabla ya kutumia tena.

### Kuhifadhi

Hifadhi dawa hii katika chombo chake asili ambacho kimefunikwa sawasawa na kuwekwa kwenye ghalala madawa iliachinshwa. Ni lazima watoto na watu wasioruhishiwa wakatazwa kuingia kwenye ghalala madawa.

### Utupaji

Safisha mikoba wa dawa ulioisha kwa kusunza mata latu lisha utombe na ubonyeze na utupile au uzike mbali na vianzo vya maji.

Mchanganyiko wa dawa ambao umebaki au maji yaliyoosha vyombo ni lazima ilupwe kwa kunyunyiza sehemu ya shamba ambayo haina mimea. Mchanganyiko wa dawa ambao umebaki ni lazima ilupilwe mbali mahali ambapo ni salama, pamojukubalwa, na mbali na vianzo vya maji. Usitumie mikoba wa dawa kwa matumizi mengine yeyote.

### MADHARA KWA MAZINGIRA

Usichalue mazingira kwa kunyunyiza, kumwaga, mabaki ya dawa, kutupa, au kusunza mikoba wa dawa kwa mito, visima, vidimbwi au chemchemi za maji. Dawa hii ni sumu kwa wanyama, nyuki, na viumbe vya majini. Inaweza kusababisha madhara ya kudumu majini.

### MAELEZO YA HUDUMA YA KWANZA

**Ikipumuliwa:** mpumzishi mgonjwa mahali penye hewa safi kisha umuone daktari.

**Ikimwagika ngozi:** vya nguo ulizovalia, osha mwili kwa kutumia kiasi kikubwa cha maji na sabuni. Mwasho ukidai muone daktari.

**Ikingia kwa macho:** yasafishe macho kwa maji yanayolirika. Kwa muda wa dakika 15. Kisha muone daktari.

**Ikimezwa:** husitanye mjeruhi kutapika bila maelezo ya ari. Husimpe mjeruhi kitu chochote kwa njia ya mdama akiwa hali maufu. PELEKA MJERUHI KWA DAKTARI

### MALEZO KUHUSU SUMU

Agrixyl 407 ni sumu ikimezwa, kupumuliwa au ikimwagika nat na inawasha ikingia machoni.

### Dalili za kusumika

**Makata:** hakuna makata maalum.  
**Tiba:** mtibu mjeruhi kulingana na dalili za kusumika.

### Wakati wa dharaa piga simu bila malipo(masaa 24): 08007210020/0800730030

### ILANI KWA MTUMIAJI

Dawa hii sharti itumike kulingana na maagizo yaliyo kwenye kibandiko. Ni hatia chini ya sheria za madawa ya kuangamiza wadudu waharibifu kutumia au kuhifadhi dawa hii katika hali isyo salama.

### THIBITISHO

Dhamana ya muuzaji ni maelezo yaliyo kwenye kibandiko ambayo ni lazima yafuatwe kikanifu. Minunizi lazima akubali hatari zozote zinazoweza kuokana na matumizi ya dawa hii kwa binadamu au maji na lazima akubali dawa hii katika hali hiyo.

DRAFT LABEL APPROVED SUBJECT TO SUBMISSION OF FINAL LABEL AND PACKAGE VALID FOR 3 MONTHS ONLY  
 Kwa  
 2019

# Agrixyl 407SL

A fungicide for the control of early and late blight on Potatoes and downy mildew on Roses  
 (Kwa kuu kinachohibihi baka kwenye Vazi na 'downy mildew' kwa Wandi)

GUARANTEE (DHAMANA): Momo and di potassium salts of phosphorous acid ..... 400gr/l  
 Metidaxyl ..... 70gr/l

READ THE LABEL BEFORE USE  
 (SOMA KIBANDIJO KABLA YA KUTUMIA)  
 COMMERCIAL AND AGRICULTURAL CLASS  
 (KIKUNDI CHA BIASHARA NA KILIMO)

KEEP OUT OF REACH OF CHILDREN  
 (WEKA MBALI NA WATOTO)

FEEDBACK/AD. PCFB (020) 274 1100/1101/1102

Batch number:  
 Namba ya Kibandi

Supply date:



**5 LITRE**  
 Net contents  
 (ujaza)

**PARIJAT**

Manufactured by/Watengenezaaji:  
 PARIJAT INDUSTRIES (INDIA) PVT. LTD.  
 M-77, M Block Market,  
 Greater Kailash - II, New Delhi 110048, India  
 E-mail: product@parijatagrochemicals.com

Agent / Aliku:  
 Old Airport Road,  
 P.O. Box 3027, Nairobi  
 Tel: 011 252500  
 Email: info@amiran-kenya.com

Shelf life: 2 years from date of manufacture when stored in original unopened container in a cool dry place. Mwisho kuhusu Mwisho 2  
 mwaka ya kutengeneza kama kinachokwa kwa mabao ya kutengeneza. Mwisho kuhusu Mwisho 2 mwaka kuhusu Mwisho 2 mwaka ya kutengeneza.

Wakati wa kutengeneza: Mwisho kuhusu Mwisho 2 mwaka ya kutengeneza. Mwisho kuhusu Mwisho 2 mwaka ya kutengeneza.



**Agrixyl 407**  
 Agrixyl 407 is a fungicide with systemic and curative properties for the control/downy mildew in roses, early and late blight on potatoes.

Agrixyl 407 is a systemic fungicide with a mode of action that makes Agrixyl 407 translocated through the xylem and phloem vessels to all parts of plant. It also stimulates plants chemical and physical defenses against disease.

**DIRECTIONS FOR USE**  
**Application timing**  
 Agrixyl 407 should be applied as directed foliar spray. Apply Agrixyl 407 when conditions favor disease development but before disease occurs, repeat at 7 days interval

**Recommendation for use**

Crop	Disease	Rates of application
Roses	Downy mildew	2.5L/ha, 50ml/20L
Potato	Late blight, early blight	2.5L/ha, 50ml/20L

**Spray Volume 1000L**  
**RE-ENTRY PERIOD**  
 Sprayed greenhouse: After the spray mixture has dried (6 hrs)  
 P.H.I: Potatoes - 7days

**Preparation of spray mixture**  
 Half fill the tank with water and add the required amount of Agrixyl 407 mix thoroughly while filling the remainder of the tank with water up to the recommended volume. Ensure that the spray mixture is used on the same day.

**Compatibility**  
 Do not apply with copper based fertilizers or fungicides.

Manufactured by/Watengenezaaji:  
 PARIJAT INDUSTRIES (INDIA) PVT. LTD.  
 M-77, M Block Market,  
 Greater Kailash - II, New Delhi 110048, India.  
 Phone: +91 11 41638001/82993  
 E-mail: product@parijatagrochemicals.com

Distributed by/Watengenezaaji:  
 Old Airport Road,  
 P.O. Box 3027, Nairobi  
 Tel: 011 252500

## Agrixyl 407

**Disease resistance**  
 Agrixyl 407 should be alternated with other products with a different mode of action to prevent development of disease resistant pathogen.

**HAZARDS/PRECAUTIONS**  
**Handling:** Wear hand gloves, face shield and a protective overall when preparing the spray mixture and when spraying. Avoid breathing the spray mist, contact with eyes and clothing. Do not apply upwind and stay out of spray mist. Do not smoke, drink or eat while handling the product.

**After work:**  
 Change clothes and wash hands and face thoroughly with soap and water. Carefully wash the spraying equipment and any contaminated clothing.

**Storage:**  
 Store the product in original container, tightly closed and correctly labelled. Store in a suitable, cool, dry well ventilated place under lock and key, away from children, animals, food and animal feedstuff. Store away from the incompatible substances and sources of ignition.

**Disposal**  
 Thoroughly rinse the pouch and puncture or perforate it. Dispose off in a landfill site approved for pesticides away from water resources in accordance with national legislation or return to stockist/distributor. The residue should be disposed off away from surface water to avoid contamination. Do not re-use the empty container for any other purpose.

**WILDLIFE AND ENVIRONMENTAL PROTECTION** Do not contaminate ponds and waterways by direct application, cleaning of equipment, dispose of wastes and empty container. This product is toxic to animals, bees and aquatic animals and may cause long term adverse effects in the aquatic environment.