

DESCRIPTION: Alfatox is an insecticide for control of aphids, thrips, whiteflies and leaf miners on French beans.
APPLICATION METHOD: Fill the spray tank with half of the desired quantity of water, add the recommended amount of ALFATOX 100EC and complete to fill until the desired quantity of water while stirring constantly. ALFATOX 100EC should be applied as a full cover spray.

APPLICATION

| CROP | PEST | RATE |
|---------------|--|--|
| French beans, | Aphids, white flies, thrips, leaf miners | 5ml in 20litres, 250ml in 1000 lts/ha. |

APPLICATION INTERVAL: Apply at least once in every 7 days

RE-ENTRY PERIOD: As a general rule treated areas should not be entered before spray deposit on plant surfaces has dried unless protective clothing is worn. It is safe to re-enter treated areas after 6 hours.

PRE-HARVEST INTERVAL: It is safe to harvest after seven days

HAZARDS PRECAUTIONS:

Handling: Wear protective goggles and gloves when handling this chemical. Wash off immediately in case of accidental splashes of the product or spray mixture. Don't smoke, drink or eat when handling this chemical. After work, carefully clean the spraying equipment, remove the contaminated clothes, gloves and wash them before re-use. Bathe at the end of spray operation and change clothes.

SAFETY PRECAUTIONS: Keep away from food, drink and animals. While handling the pesticides wear protective clothing (Overall or long trousers with long sleeves shirt). Avoid inhalation of the material, Wash hands, arms and face thoroughly with soap and hot water, and wash all contaminated clothing with soap and hot water before reuse. After use wash sprayer and equipment thoroughly with water and detergent.

STORAGE: Store in the original tightly closed container in a cool, dry well ventilated place under lock and key so that unauthorized persons do not have access. Keep out of reach of children. Keep away from food, drink and animal feeding stuffs. Keep away from heat, sparks and open flame. Handle as a flammable liquid and avoid smoking.

DISPOSAL: Do not re-use the empty container for any other purpose. Dispose empty container by burning or burying the empty container in a safe and authorized place. Pesticides spray mixture or rinsate that cannot be used MUST be disposed off where it cannot contaminate water or wildlife.

ENVIRONMENTAL HAZARDS: ALFATOX 100EC is toxic to bees. Do not spray when bees are actively foraging. Application should be timed to provide the maximum possible interval between treatment and the next period of bee activity. Direct exposure to the spray during application should be avoided. At the recommended rates ALFATOX 100EC is nontoxic to birds but is highly toxic to fish. Direct contamination of surface water and contamination by spray drift have to be strictly avoided. Do not contaminate rivers, lakes, ponds and water used for irrigation or domestic purpose, flowing or stagnant water, by the disposal of product wastes. Do not contaminate soil, stagnant or running water by disposal of waste. Newly treated areas must not be grazed and all livestock is to be kept out, no food or feed should be collected from treated areas.

FIRST AID MEASURE: If inhaled: Wash with plenty of water for at least 15minutes and seek medical advice.

Eye contact: Flush eyes immediately with plenty of water for at least 15minutes and seek medical advice. **Skin contact:** Wash affected skin with soap and water. **If swallowed:** Do not induce vomiting. Wash mouth with water and seek medical advice immediately.

TOXICOLOGICAL INFORMATION: Harmful upon ingestion and inhalation, toxic to aquatic organisms. Never contaminate water bodies with this chemical or its rinsate.

Symptoms of poisoning: Inhalation, cough, sore throat Eye: redness, pain

Antidote: No specific antidote is known.

Note to Doctor: Treat symptomatically.

INCASE OF EMERGENCY CALL

Toll free number 0800 720021 / 0800 730 030 (24 Hrs)

NOTICE TO USER: This pest control product is to be used only in accordance with direction on this label. It is an offence under the Pest Control Product Act to use or store a pest control product under unsafe conditions.

WARRANTY: Seller's guarantee is limited to the terms set out on the label and subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that conditions.



ALFATOX IS AN INSECTICIDE FOR CONTROL OF APHIDS, THIRPS, WHITEFLIEA AND LEAF MINERS ON FRENCH BEANS. (ALFATOX NI DAWA YENYE UWEZO WA KUUA APHIDS, LEAFMINERS, WHITEFLIES, NA THIRPS KWENYE MICHIRI)



Read and understand label before using
 (SOMA NA UWEZE KIBANDIKO CARLA KUTUMIA) **KEEP OUT OF REACH OF CHILDREN (WEKA MBALI NA WATOTO)**
KEEP OUT OF REACH OF CHILDREN (WEKA MBALI NA WATOTO)
 (Mwaka wa dharuru piga nambari bila malipo) **KEEP OUT OF REACH OF CHILDREN (WEKA MBALI NA WATOTO)**
 (wakti wa dharuru piga nambari bila malipo) **KEEP OUT OF REACH OF CHILDREN (WEKA MBALI NA WATOTO)**
 (wakti wa dharuru piga nambari bila malipo) **KEEP OUT OF REACH OF CHILDREN (WEKA MBALI NA WATOTO)**

Maisha yanunika miwili baada ya kutengezwa kama mwekwa kwenye chombo chake halisi ambacho hakijafunguliwa na kimewekwa mahali pasipo na joto nyingi.

Incase of Emergency Call Toll Free Number: 0800720021 / 0800730030 (24HRS).

(wakti wa dharuru piga nambari bila Malipo)

Distributed by Thasambazwa na Kenagro Suppliers Ltd.

P.O. Box 12775 - 00400 Nairobi
Tel: 020 2486235, Cel: 0721 563528



1Ltr
 NET CONTENTS / KIPIMO



HARMFUL (INADHURU)

GUARANTEE(DHAMANA)
Alphacypermethrin 100g/L
COMMERCIAL & AGRICULTURAL CLASS
(KUNDI LA KILIMO NA BIASHARA)
REGISTRATION NO:PCPB (CR)0492
(Nambari ya Usajiri)

KEEP OUT OF REACH OF CHILDREN(WEKA MBALI NA WATOTO)



HIGHLY FLAMMABLE WEKA MBALI NA MOTO

Batch No/Nambari yakifurushi:
Mfg Date/Tarehe ya kutengenezwa
Expiry Date/Tumie kabla ya:



Manufactured by / Imetengenezwa na Sulphur Mills Ltd. 604/605 Business MUMBAI, 400 069 INDIA

Agenti/Mwakilishi Insecta Kenya Ltd. P.O. Box 382786 - 00200 Nairobi - Kenya

MAELEZO KWA JUMLA

ALFATOX 100EC ni dawa yenye uwezo wa kuua aphids, leafminers, whiteflies, na thrips kwenye michiri.

JINSI YA KUCHANGANYA:

| Matumizi | Wadudu | Kipimo |
|----------|---|---|
| Michiri | Aphids, leafminer, whiteflies na thrips | Millilita 5 kwa lita 20 za maji, mililita 250 kwa lita 1000 za maji/ha. |

MUDA WA KURUDIA: Nyunyizia mara tu dalili za Aphids, leafminer, whiteflies na thrips zinaponekana na kurudia baada ya siku saba.

Muda wa kuvuna: Ni salama kuvuna baada ya siku saba.

Muda wa kuingia mahali paliponyunyuziwa dawa: Ni salama kurudi mahali dawa imenyunyuziwa baada ya masaa sita.

Kuchanganya: Changanya kipimo cha dawa kina chohitajika na kiasi kidogo maji kisha ukoroge kabisa halafu ongeza kiwango cha maji kilichobaki nyunyuzia mimea na kulowesha matawi kabisa.

Muda wa kuingia mahali paliponyunyuziwa dawa: ni salama kurudi mahali dawa imenyunyuziwa baada ya muda wa masaa sita wakati dawa imekuka.

KUHIFADHI DAWA: Iweke dawa kama imefungwa kwenye chombo chake halisi. Ikifungwa vizuri mbali na vyakula, vinywaji na vyakula vya wanyama. Iweke mbali na watoto. Hifadhi dawa pahali pasipo na joto na miale ya moto. Usifute sigara karibu na dawa hi.

UTUPAJI: Safisha mkebe wa dawa iliyoisha kwa kusunza mara tatu kisha utobee na uzike mbali na maji. Mchanganyiko wa dawa ambao haujatumiwa au maji yaliyoosha vyombo ni lazima yamwagwe mahali salama na ambapo pameidhinishwa. Dawa ambayo haiwezi kutumiwa ni lazima iupiliwe mbali mahali ambapo ni salama, panapokubaliwa, na mbali na chemi chemi za maji. Usitumie mkebe wa dawa kwa matumizi mengine yoyote.

TAHADHARI: ALFATOX 100EC: ni hatari inapoguzwa ngozi au inapomezwa. Tahadhari dawa isingine mdomoni. Usitute mvuke wa dawa. Vaa nguo za kujikinga unapotumia dawa hi. Osha nguo zote baada ya kutumia ALFATOX 100EC Usile, usinywe wala kuvuta sigara unapotumia dawa hi. Baada ya kazi nawa mikono kabia ya kula, kunywa au kuvuta sigara.

MADHARA KWA MAZINGIRA: ALFATOX 100EC usichafue vidimbwi, njia za maji au mitaro kwa dawa au mabaki ya dawa ama mkebe yake. ALFATOX 100EC ni sumu kwa samaki na nyuki. Usinyunyuzia dawa wakati nyuki wanatafuta chakula.

HUDUMA ZA KWANZA:

Inapovutwa kwa mapua: Weka mhadhiriwa mahali penye hewa safi. Muone daktari ikiwa dalili za madhara ya dawa zinazidi kuonekana.

Inapomezwa: Usimtapishe mhadhiriwa. Osha mdomo kwa maji safi. Usimpe mhadhiriwa chochole mdomoni ikiwa ako kwenye hall ya kutojifahamu, mfanye mwenye kudhurumiwa na dawa apumzike ikiwa kuna dalili yoyote ya kuumizwa na sumu muone daktari mara moja.

Inapoguzwa macho: Osha kwa maji mara moja kwa muda usiyo chini ya dakika 15 kisha umuone daktari. **Daktari inapoguzwa ngozi:** Toa nguo iliyoгуzana na dawa kisha uoshe kwa maji mengi.

MAELEZO KUHUSU SUMU: inadhuru ikimezwa, au kupumuliwa dawa hi ni sumu kwa wanyama wanaoishi majini, maji ya kusunzia vifaa vilivyokuwa na dawa yasiwagwe kwenye mito.

Dalili za sumu: Kukohoa, uchungu kwa koo, macho: Macho kuwa mekundu/kuhisi uchungu **ILANI KWA DAKTARI:** Hakuna dawa ya tiba, mhadhiriwa atibiwe kulingana na dalili za madhara anazoonyesha. **Wakti wa dharuru piga nambari bila malipo: 0800 720021 / 0800 730 030 (Masaa 24)**

ILANI KWA MTUMIAJI: Dawa hi sharti itumie kulingana na maagizo yaliyo kwenye kibandiko. Ni hatia chini ya sheria za madawa ya kuangamiza wadudu wahanibifu kutumia au kuhifadhi dawa hi katika hali isiyu salama.

THIBITISHO: Dhamaana ya muuzaji ni maelezo yaliyo kwenye kibandiko ambayo ni lazima akubali hatari zozote zinazoweza kutokana na matumizi ya dawa hi kwa binadamu au mali na lazima akubali dawa hi katika hali hiyo.