

DESCRIPTION:

Ariane® EC is a selective post-emergence herbicide for the control of broad leaved weeds in Wheat and Barley.

DIRECTIONS FOR USE:

It is suitable for application by aircraft, tractor and knapsack sprayers. Ariane® EC should be diluted with water before use.

Mixing

Half fill the spray tank with clean water. Add the required amount of Ariane® EC. Agitate the water in the spray tank, while filling the spray tank to the required level. Maintain agitation while spraying. Prepared mixture should not be left in the spray tank for any length of time e.g overnight.

Timing of application

Do not spray when rain is imminent or during a period of drought. Ariane® EC should be sprayed when conditions for growth are good and the soil moist. Avoid spray drifting onto neighbouring crops. Livestock should be kept away from sprayed pastures for at least 21 days.


Application equipment

Ground application: Accurately calibrate spray equipment prior to application. Use flat fan nozzles to ensure uniform coverage of the weeds.

Re-entry interval: Treated areas should not be entered before spray deposits on leaf surfaces have dried, unless protective clothing is worn.

Directions for Use: Use only as directed

Crop	Weeds	Rates	Timing
Wheat	Sow thistle (<i>Sonchus oleraceus</i>), Black Bindweed (<i>Polygonum convolvulus</i>), Blackjack (<i>Bidens pilosa</i>)	Low altitude 1L/ha in 200 L of water OR 100ml in 20L of water.	From 3 rd leave stage up to the second node. Best results are obtained by spraying early when most weeds are in the young seeding stage and when there is good competition, suppressing the late germination or set-back weeds
Barley	Black Nighthshade (<i>Solanum nigrum</i>), Chickweed (<i>Stellaria media</i>), Chinese Lantern (<i>Nicotiana physalodes</i>) Spurrey (<i>Spergula arvensis</i>), Gallant Soldier (<i>Galinago parviflora</i>), Goosefoot (<i>Chenopodium spp.</i>), Shepherd's Purse (<i>Capsella bursa-pastoris</i>), Wild Radish (<i>Raphanus raphanistrum</i>), Cleavers (<i>Gallium spurium</i>), Thorn Apple (<i>Datura stramonium</i>), Devil's Thorn (<i>Emex australis</i>), Double Thorn (<i>Oxygonum spp.</i>), Knot weed (<i>Polygonum arifolium</i>), Pig weed (<i>Amaranthus spp.</i>), Rape (<i>Brassica napus</i>), Sheep's Sorrel (<i>Rumex spp.</i>)	High altitude and hard to kill weeds 1-2L/ha in 200L of water or 100-200ml in 20L of water.	



A selective post-emergence herbicide for the control of broad leaved weeds in Wheat and Barley.

REGISTRATION NO (Nambari ya usajidi): PCPBCR/0652

GUARANTEE (Dhamana): Furoxypyr 60g/L + Clopyralid 23.3g/L + MCPA 266.7g/L

COMMERCIAL AND AGRICULTURAL CLASS (Kundi la Biashara na Kilimo): READ THE LABEL BEFORE USING; (SOMA KIBANDIKO KABI LA VA KUTUMIA)

KEEP LOCKED UP OUT OF REACH OF CHILDREN (FUNGUA MBALI NA WATOTO)

Wakati wa dharrura piga simu bila malipo kwa nambari

Batch No. (Nambari ya kifurushi): 0800720021/0800730030(Visasa 24).

Date of Manufacture: (Tarehe ya kutengenezwa): (Nambari ya kifurushi):

Manufactured by: (Wakengenezaji)

Dow AgroSciences SAS
8, Route de Hertsheim
67410 Dunsenheim - FRANCE

Sheet life: 2 years from date of manufacture if stored in original unopened container in a cool dry place

Maisha Rafu: Mlaka 2 kutoka tarehe ya kutengenezwa ikihifadhiwa kwenye chombo cha hali kishitofunguwa mahali pakavu na pasipo na joto jingi.

WHO CLASS: Class III, Slightly hazardous



MAELEZO YAKAWAIDA:
Ariane® EC ni dawa inayoua kwakwe zenyewe majani mapana kwenye Ngano na Shayiri.

JINSI YA KUTUMIA:
Kuchanganywa
Jaza masu ya bomba na maji masafi, ongeza kiwango kinachohitajika cha Ariane® EC. Kisha jaza maji kwenye bomba ukitendelea kukoroga dawa kwa muda wote unapochanganya na maji na pia unapoinyunyiza. Mchanganyiko usiwakwe usiku kucha katika bomba la maji.

Wakati uliano:
Usinyunyize wakati mvua inapokaribia kuyesha au wakati wa ukame. Nyunyiza dawa wakati mimba na mangu zinauka kwa uzuri na udongo una unyevu. Dawa isinwagike mimba iliyokaribu.

Yombo yaa kunyuzia
Kunyuzia kwa maji za ardhi: Hakikisha vyombo vyote vya kunyuzia viko sawa kabla ya kunyuzia. Tumia chombo kipana ama ya fan Nozzles kuhakikisha mangu yote yanepana dawa.

Kunyuzia kwa ndege: Tumia kiasi cha lita 40 za maji.
Onye: sehemu zilizonyunyiziwa dawa hazipasii kungwa kabla ya dawa iliyo nyunyiziwa kukauka. Ila mtu awe anevaha mawazi ya kujihinda.

ILANI KWA MITUMIAJI: Dawa hii ni sharti inamwe kulingana na magizo yaliyo kwenye kibandiko. Ni hatia dhini ya sheria za madawa ya kudhibiti wadudu waharibifu kutumia au kuhifadhi dawa hii katika hali isiyu salama.

Jinsi ya kutumia: Tumia kama ilivyopendekezwa.

Mimba	Mangu	Vipimo	Wakati
Ngano	Sow thistle (<i>Sonchus oleraceus</i>), Black Bindweed (<i>Polygonum convolvulus</i>), Blackjack (<i>Bidens pilosa</i>)	Nyanza za chini (Low altitude) Lita 1 kwa hekta kwenye lita 200 za maji AU Mhilia 100 kwenye lita 20 za maji.	Kutoka wakati mimba ya ngano au shayiri yana majani matatu.
Shayiri	Black Nighthshade (<i>Solanum nigrum</i>), Chickweed (<i>Stellaria media</i>), Chinese Lantern (<i>Nicotiana physalodes</i>) Spurrey (<i>Spergula arvensis</i>), Gallant Soldier (<i>Galinago parviflora</i>), Goosefoot (<i>Chenopodium spp.</i>), Shepherd's Purse (<i>Capsella bursa-pastoris</i>), Wild Radish (<i>Raphanus raphanistrum</i>), Cleavers (<i>Gallium spurium</i>), Thorn Apple (<i>Datura stramonium</i>), Devil's Thorn (<i>Emex australis</i>), Double Thorn (<i>Oxygonum spp.</i>), Knot weed (<i>Polygonum arifolium</i>), Pig weed (<i>Amaranthus spp.</i>), Rape (<i>Brassica napus</i>), Sheep's Sorrel (<i>Rumex spp.</i>)	kuangamiza: Lita 1-2 kwa hekta kwenye lita 200 za maji AU Mhilia 100-200 kwenye lita 20 za maji.	



Emulsifiable Concentrate

HAZARDS AND PRECAUTIONS:

The product is flammable. Do not store near heat sources or open flames. Wear protective clothing – overalls, boots, gloves, face shield when working with the product. Do not eat, drink or smoke when working with the product. Wash hands before breaks and after work. Wash contaminated clothing before using it again.

STORAGE:

Store in tightly closed original container in a cool, dry, well ventilated place, under lock and key so that unauthorized persons do not have access. Keep away from food, drink and animal feeding stuffs. Keep out of reach of children.

DECONTAMINATION PROCEDURES:

Use personal protective equipment when dealing with spills. Do not discharge into the drains/surface water/ground water or sewers. Soak up spilled product with sand or other non-combustible absorbent material and place in suitable, closed, marked container for safe disposal. For large spills, barricade area and consult manufacturer/distributor.

DISPOSAL:

Do not contaminate ponds, waterways or ditches with chemical or used container. Wash out thoroughly. Container and washings must be disposed of safely and in accordance with applicable regulations. Destroy empty containers by perforating and flattening them. **Do not re-use empty containers for any other purpose.**

ENVIRONMENTAL HAZARDS:

Do not contaminate ponds, waterways or ditches with chemical or used container. The material is slightly toxic to birds on an acute basis.

FIRST AID INSTRUCTIONS:

Never give fluids or induce vomiting if patient is unconscious or is having convulsions.

INGESTION: Do not induce vomiting.

Call a physician immediately. The decision of whether to induce vomiting should be made by an attending physician.

EYE CONTACT:

Wash eyes immediately and continuously with flowing water for at least 5 minutes. Obtain medical consultation from an ophthalmologist.

SKIN CONTACT:

Remove contaminated clothing immediately and wash thoroughly with soap and water.

INHALATION: Remove to fresh air. Consult a physician.

TOXICOLOGICAL INFORMATION:**NOTE TO PHYSICIAN**

Antidote: No specific antidote
Supportive care. Treatment based on judgement of physician in response to symptoms of patient.

In case of an emergency, call Toll Free no 0800720021/0800730030 (24 hrs).

NOTICE TO THE USER:

This Pest Control Product is to be used in accordance with the direction on the label. It is an offence under the Pest Control Products Act to use or store Pest Control Products under unsafe conditions.

SELLERS GUARANTEE: Seller's guarantee is limited to the terms set on the label and subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

Ariane* is a registered trademark of Dow AgroSciences.



Emulsifiable Concentrate

HATARINAHADHARI:

Valia mavazi ya kujilinda – vazi ndefu, viatu, vifuko vya mikono na viziuzi vya uso unaposhughulika na dawa. Vaa gamba la pumzi wakati wa kuchanganya. Wakati unaitumia dawa, usile, usinywe wala kuvuta sigara. Baada ya kunyunyizia dawa nawa mikono. Yafue mavazi yaliyogusa dawa kabla ya kuyavalia tena.

UHIFADHI:

Dawa hii inaweza kushika moto kwa haraka. Usihifadhi karibu na vianzo vya moto wala karibu na miali ya moto. Hifadhi dawa katika chombo chake asili, kilichofungwa vizuri na uweke pahali penye baridi, pakavu, hewa nyingi na uifungie na kufuli pahali haitapatwa na watu wasio na maagizo. Weka mbali na vyakula, vinywaji na vilishi vya mifugo. Hifadhi mbali na watoto.

DAWAIMWAGIKAPO:

Valia mavazi ya kujilinda unaposhughulikia dawa iliyomwagika. Zuia dawa iliyomwagika kuingia kwa mitaro, au mito. Mwaga mchanga au udongo kwenye sehemu iliyomwagika dawa. Kusanya mchanga/udongo huo na uweke kwenye kifaa kilichowekwa alama kwa utupaji salama. Kama kiasi kikubwa cha dawa kimemwagika, tenga pahali paliposumika na uwasiliane na watengenezaji.

UTUPAJI WA VYOMBO VITUPU:

Vyombo ni lazima vitolewe dawa kabisa kabla ya kutupwa. Usichafue mito, maji au wala mikondo ya maji na dawa au vyombo vitupu. Vyombo vitupu na maji iliyotumika kuzioshea lazima zitupwe kulingana na maagizo yaliyowakwa. Haribu vyombo vilivyotu tupu na kuzizika kwa shimo mbali na vyanzo vya maji. Usitumie vyombo vilivyotu tupu kwa kazi nyingine yoyote.

MADHARA KWA MAZINGIRA:

Ni sumu kwa mazingira na wanyama wengine wa ndani ya maji. Usichafue maji au mitaro na dawa au mitungi iliyo kwishatumiwa. Ni sumu ya kadiri kwa wanyama aina ya ndege.

HATUA ZA HUDUMA YA KWANZA:

Usimpe kinywaji au kumtapisha mwenye kumeza dawa kama amezirai.

IKIMEZWA: Mpeleke mwenye kudhuriwa na dawa kwa daktari. Uamuzi wa kama mwenye kumeza dawa atapishwe unapasa kufanywa na mtabibu.

IKHINGIA KWA MACHO: Yakamue macho vizuri ukitumia maji mengi kwa muda wa dakika 5. Muone mtabibu wa macho.

IKIGUSA NGOZI: Osha ngozi kwa haraka ukitumia maji mengi na sabuni.

IKIPUMULIWA: Toa mdhuriwa kwenye eneo la hatari. Mtafutie huduma za matibabu.

PELEKA MJERUHI KWA DAKTARI.**MAELEZO KUHUSU SUMU YA DAWA:**

Dawa inayoharibu nguvu ya sumu (Antidote):
Hakuna dawa ijulikanayo kutegua sumu ya dawa ya Ariane* EC. Matibabu yafanywe kulingana na dalili zinazodhihirika.

Wakati wa dharura, piga simu bila malipo kwa nambari 0800720021/0800730030 (Masaa 24).

ILANI KWA MTUMIAJI:

Dawa hii sharti utumie kuambatana na maelezo kwenye kibandiko. Ni hatia kulingana na sheria za madawa kutumia au kuhifadhiwa dawa hii kwa hali isiyo salama.

THIBITISHO:

Dhamana ya muuzaji ni maelezo yaliyo kwenye kibandiko ambayo ni lazima yafuatwe kikamilifu. Mnunuzi lazima akubali hatari zozote zinazoweza kutokana na matumizi ya dawa hii kwa binadamu au mali na lazima akubali dawa hii katika hali hiyo.

