

READ THE LABEL BEFORE USING
(SOMA KIBAUDIKO CHA MAELEZO KABLA YA
KUTUMIA)

KEEP LOCKED OUT OF REACH OF CHILDREN
(WEKA MBALI NA WATOTO)

REGISTRATION NO. (NAMBARI YA USAJILI): PCPB (CR) 1246

BASF

We create chemistry

Abacus® 125 SE

Suspension Emulsion
FUNGICIDE (KIUKUVU)

GUARANTEE: DHAMANA

Pyraclostrobin 62.5 g/l
Epoxiconazole 62.5 g/l

COMMERCIAL AND AGRICULTURAL CLASS / KUNDI LA KILIMO NA
BIASHARA

A suspo-emulsion protectant and systemic fungicide for the control
of stem rust and yellow rust on Wheat.
(Kiukuvu cha kuzua magonjwa ya kutu ('stem rust' na 'yellow rust')
kwenye ngano.)

Shelf life: Two years in tightly sealed original unopened containers
under cool and dry storage conditions.

(Maisha Ratuni: Miaka miwili ikiwa katika chombo chake maalum i
sipofunguliwa na ikiwekwa katika pahali pakavu pasipo na joto jing'i.)

In case of emergency call Toll Free number 0800720021/0800730030 (24Hrs).
(Wakati wa dharura piga nambari ya bure 0800720021 / 0800730030 (Masaa 24).

Net Contents/Kipimo Kamili: **1L**

WHO Class II: moderately hazardous

Label must be present on product
at all times. If label is missing,
product is not for sale.

VALID FOR JUBA ONLY

02 JUL 2011

DM

MANUFACTURER/REGISTRANT
(MTENGENEZAJI):
BASF SE, GERMANY

AGENT (AJENTI):
BASF EAST AFRICA LTD
P.O. BOX 24271-00100
NAIROBI
TELEPHONE: +254 20 4443454

MANUFACTURING DATE
(TAREHE YA KUTENGENEZWA):

BATCH NUMBER
(NAMBARI YA FURUSHI):

EXPIRY DATE
(TUMIA KABLA YA):



Protect to Provide
MEMBERSHIP NUMBER AAK/220



® = Registered Trademark of BASF

KE1066



HARMFUL
HUDDURU



DIRECTIONS FOR USE:

A protectant and systemic fungicide for the control of stem rust and yellow rust on Wheat. Apart from fungicidal activity, pyraclostrobin one of the active ingredients of Abacus® 125 EC exhibits the potential to increase plant physiological effects which are beneficial to the crop.

MIXING INSTRUCTIONS:

Fill the spray tank halfway with water. Start agitator mechanism and slowly add the required amount of Abacus® 125 EC. Add water to the final volume required with continuous agitation.

APPLICATION TIMING:

Abacus® 125 EC provides optimal disease control when applied in a regularly scheduled preventive fungicide program when conditions favour disease development. Abacus® 125 EC should be used in a spray program that rotates fungicides with different modes of action. It can be sprayed latest at first signs of disease infection.

RATE OF APPLICATION/ SPRAY INTERVAL:

Crop	Target Pest	Rate	Remarks
Wheat	Yellow Rust (Puccinia striiformis)	1l/ ha	Apply preventatively or latest as soon as infection is noticed and repeat at 3-4 weeks later depending on disease pressure.
	Stem Rust (Puccinia graminis)		

NOTE: Do not use any additional wetters, spreaders or other adjuvants as Abacus® 125 EC has already been formulated with optimised amounts of surfactants.

PHI: 60 days

RE-ENTRY INTERVAL: 24 Hours, unless wearing protective clothing.

SAFETY PRECAUTIONS:

Wear suitable protective clothing (coveralls) and suitable protective gloves when handling the concentrate or contaminated surfaces. Wear safety glasses and body protection garments. Wash hands and/or face before breaks and at the end of the shift. Do not eat drink, or smoke when handling this product. Prevent spray drift onto other crops, grazing, rivers and dams.

LEAK AND SPILLS:

Wear protective clothing as outlined above. Sweep up with spill control material or suitable absorbent material e.g. sand, sawdust or general purpose binder. Clean contaminated floors and objects thoroughly with water and detergents.

STORAGE:

Keep away from food, drink and animal feeds. Keep out of reach of children. Do not re-use container for any other purpose. Store in original container tightly closed, in a safe place. Keep away from heat. Protect against moisture and protect from direct sunlight. Protect from temperatures below (0°C) and above (40°C).

DISPOSAL:

On emptying the container, rinse thoroughly by using an integrated pressure rinsing device or manually rinsing three times. Add washings to sprayer at time of filling and dispose of container safely in accordance with national regulation.

ENVIRONMENTAL HAZARDS:

Toxic to aquatic organisms, may cause long term adverse effects in the aquatic environment. Do not contaminate water with the product or its container. Do not clean application equipment near surface water. Avoid contamination via drains from farmyards and roads.

FIRST AID MEASURES

General advice: Avoid contact with the skin, eyes and clothing. Take off immediately all contaminated clothing. If difficulties occur in breathing, obtain medical attention. Show container, label and /or safety data sheet to physician.

Eye contact: Immediately wash affected eyes for at least 15 minutes under running water, with eyelids open. Consult an eye specialist.

Skin contact: After contact with skin, wash immediately with plenty of water and soap. If irritation develops, seek medical attention.

Ingestion: Rinse mouth immediately and then drink plenty of water, seek medical attention. Do not induce vomiting unless instructed by a poison control center or doctor. Never induce vomiting or give anything by mouth if the victim is unconscious or having convulsions.

If inhaled: Keep person calm, remove to fresh air, and seek medical attention.

TOXICOLOGICAL INFORMATION

Symptoms of poisoning: No known symptoms of poisoning

Antidote: No known specific antidote

Note to physician: Treatment. Treat according to symptoms (decontamination, vital functions

In case of emergency call Toll Free number 0800720021 / 0800730030 (24 Hrs)

TAKE PATIENT TO DOCTOR**NOTICE TO USERS:**

This pest control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use or store a pest control product under unsafe conditions.

WARRANTY:

Seller's guarantee is limited to the terms set out on this label and subject there to the buyer who assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

MAEPENDEKEZO YA UTUMIAJI:

Kiukakuvi cha kuzuia magoniwa ya kutu (stem rust na yellow rust) kwenye ngano. Mojawapo ya dawa halisi iliyomo kwenye hiki kiukakuvi-Pyriaclostrobin imeonyesha kuongezeka kwa fiziologia ya mmea hivi basi kuongeza ukujaji wa mmea.

MAELEZO YA KUCHANGANYA

Jaza tanki la kunyunyizia na maji safi hadi nusu. Tingiza dawa vizuri kabla ya kuitungua kisha upime kiasi cha Abacus® 125 EC kinachohitajika na uongeze kwenye tanki la kunyunyizia. Jaza tanki hilo na maji safi na uendelea kuchanganya na kutikisa. Endelea kukoroga vizuri unaponyunyizia.

WAKATI WA KUNYUNYIZIA

Abacus® 125 EC inataa zaidi ikitumiwa wakati dalili za ugonjwa zinaonekana kushika ngano. Unahimizwa kubadilisha dawa hii na dawa za vikundi vingine kuzuia uzoefu kwenye mmea.

UTUMIAJI

Mmea	Ugonjwa	Kiasi cha kutumia	Maelezo zaidi
Ngano	Yellow Rust (Puccinia striiformis)	Lita 1.0/hekta	Nyunyiza dawa kuzuia ama mwisho punde tu ugonjwa uonekanapo. Rudia kila baada ya wiki 3-4 kulingana na dalili za ugonjwa kushika.
	Stem Rust (Puccinia graminis)		Ukitumia trekta kunyunyizia: Tumia mililita 100 kwa lita 20 ya maji Tumia lita 200-400 za maji kwa hekta

FAHAMU: Ustumie kemikali yenye usaidizi wa kushikisha dawa kwenye matawi kwani Abacus® 125 EC tayari imeundwa na vishikanishi ndani yake.

MUDA WA KUNGOJA KABLA YA KUVUNA: 60

JINSI YA KUJIKINGA:

Jikinge na hali yoyote kushika dawa hii. Usile, usinywe wala usiwute sigara unapotumia dawa hii.

Unapotumia dawa ya Abacus® 125 EC linda macho ukiumia miwani iliyopendekezwa. yaa nguo za kujikinga kama vile glavu na ovarioli. Osha mikono na ngozi iliyomwagikiwa kabla ya kula, kunywa, kuvuta sigara ama kwenenda kwa haja. Oga mwili na sabuni na maji mengi baada ya kazi na utue nguo za kujikinga na madhara ya dawa kabla ya kuzitumia tena.

DAWA IKIMWAGIKA:

Jikinge na nguo na vita ya kuzuia madhara ya dawa. Panguza dawa iliyomwagika na mchanga au wumbi inayopatikana wakati mbao inapopasuliwa (sawdust). Osha mahali au vita vilivyomwagikiwa na dawa kwa maji mengi na sabuni.

KUHIKADHI NA UTUPAJI:

Hifadhi dawa ndani ya pakiti yake halisi mahali ambapo ni salama, kavu, na hakuna joto nyingi, penye hewa nyingi na ni mbali na chakula na watoto hawawezi kufika. Osha chombo cha dawa mara tatu na umwage ule mwosho kwenye tanki la kunyunyizia. Harbu chombo cha dawa baada ya kutumia dawa yote iliyomo hatatu itupe mahali mbali na mto kuambatana na sheria zilizo. Hifadhi mahali palipo na joto isyo chini ya nyuzi -5 au zaidi ya nyuzi 35.

HADHARA KWA MAZINGIRA:

Dawa hii ina madhara kwa samaki na viumbe vingine vinavyoishi kwenye maji. Usichafue vidimbwi vya maji kwa dawa hii au mabaki yake. Usioshe vombo vilivyotumika karibu na mto. Usimwage mabaki kwenye nyumba za wanyama au barabara.

HUDUMA YA KWANZA:

Mashauri: Hakikisha dawa isimwagikie ngozi, macho na mavazi. Vua mavazi yenye dawa mara moja. Ukhinisi hali mbaya ya alya utumapo dawa hii, tatadhali muone daktari na umonyeshe kibandiko cha dawa hii.

Kiingia kwa Macho: Osha macho kwa maji mengi yanayotirika kwa muda wa dakika 15. **Ikhinika Ngozi:** Vua mavazi yenye dawa mara moja na usafishe ngozi iliyopata dawa kwa maji mengi. Osha mahali palipopata dawa kwa maji na sabuni.

Kimezwa: Osha mdomo mara moja. Kunywa maji mengi na umuone daktari. Usimtapishe mhadhiriwa isipokuwa daktari akisema. Usimtapishe au kumpa mhadhiriwa kitu chochote kupitia kwa mdomo kama amezinia.

Ikwitwa: Peleka mhadhiriwa mahali penye hewa safi na umweke akiwa mtulivu. Mpeleke kwa daktari

MAELEZO KUHUSU SUMU

Dalili za kusumika: Hakuna dalili zijulikanazo za kusumika
Kiuasumu: Hakuna tiba ijulikanayo kwa sasa
Maelezo kwa daktari: Tibu mgonjwa kulingana na dalili za ugonjwa.

Kukiwa na dharura yoyote piga nambari bila malipo kwa 0800720021/ 0800730030 (Masaa 24)

PELEKA MJIUHI KWA DAKTARI

LANI KWA WATUMIAJI:

Dawa hii sharti itumie kulingana na maagizo yaliyo kwenye kibandiko hiki tu. Ni hatia chini ya Sheria za madawa ya kuangamiza wadudu waharifu kutumia au kuhitadhi dawa hii katika hali isiyu salama.

THIBITISHO:

Dhamana ya Muzaji ni maelezo yaliyo kwenye kibandiko ambayo ni lazima yafuatwe kikamilifu. Mhunuzi lazima akubali hatari zote zinaweza kutokana na matumizi ya dawa hii kwa binadamu au mali na lazima akubali dawa hii katika hali hiyo.

READ THE LABEL BEFORE USING
(SOMA KIBANDIKO CHA MAELEZO KABLA YA
KUTUMIA)

KEEP LOCKED OUT OF REACH OF CHILDREN
(WEKA MBALI NA WATOTO)



We create chemistry

Abacus® 125 SE

Suspension Emulsion
FUNGICIDE (KIUKUVU)

GUARANTEE/: DHAMANA Pyraclostrobin 62.5 g/l
Epoxiconazole 62.5 g/l

COMMERCIAL AND AGRICULTURAL CLASS / KUNDI LA KILIMO NA
BIASHARA

A suspo-emulsion protectant and systemic fungicide for the control
of stem rust and yellow rust on Wheat.
(kiukuvu cha kuzuia magonjwa ya kutu ('stem rust' na 'yellow rust')
kwenye ngano.)

Shelf life: Two years in tightly sealed original unopened containers
under cool and dry storage conditions.

(Maisha Rafuti: Miaka miwili ikiwa katika chombo chake maalum i
sipotunguliwa na ikiwekwa katika pahali pakavu pasipo na joto jingi.)

In case of emergency call Toll Free number 0800720021/0800730030 (24hrs).
(Wakati wa dharura piga nambari ya bure 0800720021 / 0800730030 (Masaa 24).

Net Contents/Kipimo Kamili: **1L**

WHO Class II: moderately hazardous

REGISTRATION NO. (NAMBARI YA USAJILI): PCPB (CR) 1246

MANUFACTURER/REGISTRANT
(MTENGEZAJI):
BASF SE, GERMANY

AGENT (AJENTI):
BASF EAST AFRICA LTD
P.O. BOX 24271 - 00100
NAIROBI
TELEPHONE: +254 20 4443454

MANUFACTURING DATE
(TAREHE YA KUTENGEZWA):

BATCH NUMBER
(NAMBARI YA FURUSHI):

EXPIRY DATE
(TUMIA KABLA YA):



Protect to Provide
MEMBERSHIP NUMBER AAK/220

® = Registered Trademark of BASF

KE1066



HARMFUL
HUDDHURU

