

**ELGON KENYA LIMITED**

Your Leader in Crop Protection

General Information:

AGROCELHONE - D is a vapour producing soil fumigant for pre plant treatment for the control of nematodes in pineapples.

Mode of Application: Application must be made on bare soil, previously well cultivated, crumbled & leveled. Treatment can be done in 2 ways;

1. Dilution with water and injection to the drip system at a spacing of 5 - 6 nozzles per square meter to obtain a thorough distribution not exceeding 0.6ml/ product per liter. After application, keep running water for 15 - 30 min (at least 5-10 liters/sq meter to avoid damage to the system).
2. By direct injection using suitable fumigant application machines pulled tractors, with blades spaced not more than 30cm and cutting 15 - 30cm deep in the soil.

RECOMMENDATION FOR USE:

| CROP | PEST | APPLICATION RATE |
|-----------|---------------------|----------------------------------------------------------|
| Pineapple | Root knot nematodes | 50 - 100g/M ² ; 384 - 768L/Ha, VALID FOR 3 |

Pre harvest interval: 21 days

Cleaning of application equipment:

1,3 dichloropropene is corrosive, therefore all equipment should be cleaned out with diesel or paraffin immediately after use. 1,3 dichloropropene is corrosive to mild steel and Pvc at concentration above 2000 ppm. Only stainless steel, polythene and neoprene should be used for pipes, seals and valves. Do not use pumps, containers or other transfer equipment made of aluminium, magnesium or their alloys, as Agrocelhone - D may severely be corrosive to such metals.

HAZARDS/ PRECAUTIONS: Agrocelhone - D is very toxic when swallowed, inhaled or absorbed through the skin. May cause irritation of the skin, eyes, and mucous membranes and may cause skin sensitisation.

Handling: Wear suitable protective clothing, gloves, face shield/safety goggles and respirator when preparing the spray mixture and in addition impermeable boots when spraying. Avoid, breathing the spray mist, contact with skin, eyes and clothing. Do not apply upwind and stay out of the spray mist. Do not spray over food or feed or surfaces where food is prepared, eaten or stored. Do not smoke, drink or eat while handling the product.

After work: Change protective clothing and wash hands thoroughly with soap and plenty of water. Wash the spraying equipment and the contaminated clothing carefully.

Storage: Keep out of reach of children. Store in tightly closed original container in a cool dry well ventilated place, under lock key so that unauthorized persons do not have access. Keep away from food, drinks and animal feeding stuffs.

Disposal: Triple rinse, puncture or crush empty pouches before disposal in a safe and authorized place in accordance with National regulations on chemical disposal. Do not re-use empty containers for any other purpose. Pesticide spray mixture or reinstated that cannot be used must be disposed where it cannot contaminate surface water and ditches.

Pesticide Leakage and Spillage: In event of heavy spillage, collect the contaminated soil layer and dispose in unauthorized place away from water supplies. Soaking in sand, soil or sawdust may collect small spillage. Contaminated absorbent material must be stored in marked waste bins prior to disposal in authorized landfill site. The pesticide store must be decontaminated by washing with a lot of water.

Wildlife and Environmental Protection: AGROCELHONE - D is toxic to fish, other aquatic organism. It is harmful to birds, animals and relatively toxic to bees but due to the mode of application as drip/trickle irrigation, a hazard to bees is not to be expected. Do not contaminate ponds and waterways by direct application, cleaning of equipment, disposal of wastes and empty container. Keep livestock and wildlife out of treated areas.

FIRST AID INSTRUCTIONS:

Skin contact: Remove contaminated clothing and wash all exposed skin area with soap and water, followed by warm water rinse. Consult a doctor in the event of any complaints.

Eye contact: Wash off with plenty of water (15 min.) If pain persists, consult an eye specialist. If inhaled: Remove victim to fresh air. Keep the patient warm and at rest. If breathing is difficult, give artificial oxygen. If patient not breathing, apply artificial respiration and seek medical attention.

If swallowed: Do not administer any oral remedies. In case of ingestion do not force vomiting, keep patient in a resting position, seek medical attention immediately.

TOXICOLOGICAL INFORMATION

Symptoms of poisoning: severe irritation of the eyes, mucus, skin, respiratory, or gastrointestinal tract. Nausea, vomiting, abdominal pain, gastrointestinal haemorrhaging. Difficulty breathing, anxiety, cyanosis, illness, cephalalgia. Pulmonary oedema. Hepatorenal changes with renal failure, severe coagulopathy, pancreatitis.

Antidote: Administer aqueous solution of active carbon and a saline catheter of sodium sulphate.

Note to physician/Treatment: Treat symptomatic and supportively. In case of ingestion use digestive decontamination in accordance with the level consciousness.

In case of poisoning call toll free number (24hrs): 0800720021/0800730030.

NOTICE TO USERS

This pest control product is to be used only in accordance with the directions on the label. It is an offence under the Pest Control Products Act to use or store a pest control product under unsafe conditions.

WARRANTY

Sellers guarantee is limited to the terms set out on the label and subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product in that condition.

AGROCELHONE - D EC**Maelezo:**

AGROCELHONE - D ni kiuu dudu inyatua mwake na hutumiwa kwa shamba ambayo imelimwa ili kudhibiti nyungunyungu kwa nanazi.

Jinsi Inavyotumika: Agrocelhone - D hutumiwa kwa shamba ambayo imelimwa na kutadazwa vizuri. Inaweza kusambazwa kwa njia mbili;

1. kuyeyusha kwa maji kiasi na kupitisha kwenye mifereji ya maji kwa ubana wa nozzles 5 - 6 kwa meter hili kua na urari sawa dawa, na isipungue mililita 0.6 ya dawa kwa lita. Baada ya mnyunyuzo wa dawa hii, weka maji kwa muda usiopungua dakika 15 - 30 ili kuodoshwa mabaki ya dawa iliyosalia.
2. Kwa kutumia vifaa maalum vya kusambaza dawa hii zinazo wutwa na trekta, na visu vya machine vwe na ubana usiozidi centimeter 30 na vikiingia chini ya undongo kwa centimeter 15 - 30.

MAPENDEKEZO YA MATUMIZI: Inahimizwa kutumia Agrocelhone - D kiasi cha kilo 267 kwa hekta ili kudhibiti nyungunyungu sugu.

| MMEA | WADUDU | VIIMO VYA MATUMIZI |
|--------|--------------------|--------------------------------------------------|
| Nanazi | Root knot nematode | Gramu 50 - 100/ meter; Lita 384 - 768 kwa Hekta. |

Muda salama wa kuvuna: siku 21

Kusafisha vifaa vya dawa:

Agrocelhone - D husababisha ulikaji wa metali, hivyo vifaa vilivyotumika vina paswa kusafishwa na mafuta ya taa au diesel.

HATARI NA TAHADHARI: Agrocelhone - D ni sumu ikimezwa, ikivutwa au kufyonzwa kupitia kwenye ngozi. Inaweza kusababisha kuwasha kwa ngozi, macho na utando wa kamasi na huweza kuhisisha ngozi.

Matumizi: Vaa ngao la kujikinga, viatu na viziuzi vya mikono na usio, unapatayarisha mchanganyiko wa dawa na maji na unaponyuniza dawa. Jihadhari usipumue mwuke wa dawa, mchanganyiko wa dawa usingie kwenye macho au kumwagikia ngozi na nguo ulizovalia. Usinyunzize dawa hii ukielekea upande upepo unatoka. Usivute sigara na usile wala kunyua wakati unapotumia dawa hii.

Baada ya kazi: Vaa ngao za kazi na viziuzi vya kujikinga, Nawa mikono kati ya mapumziko na hata baada ya kazi. Osha bomba uliyotumia kisha Oga na ufue mavazi uliyotumia kwa maji na sabuni.

Kuhifadhi: Hifadhi dawa hii katika chombo chake asili ambacho kimefunikwa sawa sawa na kuweka kwenye ghala la madawa lililoichinisha. Ni lazima watoto na watu wasioruhusiwa wakatazwe kuingia kwenye ghala la madawa.

Utupaji: Safisha mkoba wa dawa iliyoisha kwa kusunzama tatu kisha utoboe au ubonyeze na utupije mbali na maji ambapo ni salama na panapoidhinishwa kulingana na sheria za utupaji. Mchanganyiko wa dawa ambao haujatumika au maji yaliyoosha vyombo nilazima yatupiliwe mahali salama na ambapo pameidhinishwa. Dawa ambayo haiwesi kutumiwa ni lazima itupiliwe mbali mahali ambapo ni salama, panapokubaliwa, na mbali na maji. Usitumie mkobawa dawa kwa matumizi mengine yoyote.

Dawa Ikimwagika au Kuvuja: Chukua mchanga uliomwagikiwa na dawa, utupe mahali ambapo ni salama na mbali na maji. Dawa ikivunja, iloweshe kwenye sehemu ndogo ya mchanga au 'sawdust' kisha ufungie mahali ambapo ni salama kabla ya kutupilia mbali mahali ambapo pameidhinishwa. Ghala la madawa ni lazima lioshwe mara kwa mara ili kutoa takataka ya dawa iliomwagika au kuvunja.

MADHARA KWA MAZINGIRA

AGROCELHONE - D ni sumu kwa samaki, viumbe vya majini na nyuki. Epuka kuchafua mito na njia za maji kwa kemikali au mikoba iliyotumika. Usinyunzize mimea wakati nyuki wanatua kwenye maua ya mimea.

MAELEZO YA HUDUMA YA KWANZA

Ikimpumuliwa: Toa mgonjwa mahali penye hatari na umpumzishie mahali ambapo ni salama. Kama mjeruhianashida ya kupumua, msaidie apumue, kisha umpeleke kwa daktari. Ikimwagikia ngozi: Vaa mavazi ya kujikinga na uoge kwa kutumia maji safi na sabuni. Iwapo maumivu itaendelea, muone daktari.

Ikingia kwa macho: Fungua macho na uyasafishe kwa maji safi yanayotiririka kwa muda wa dakika 15. Iwapomaumivu itaendelea, muone daktari.

Ikimezwa: Usimtapishe mjeruhiwa. PELEKA MJERUHIWA KWA DAKTARI.

MAELEZO KUHUSU SUMU: Dalili za kusumika kuwasha kwa macho, ngozi, makamazi, na unapopumua, kichefuchefu, kutapika, maumivu ya tumbo, kuto kupumua vizuri, wasiwasi, cyanosis, illness, cephalalgia. Pulmonary oedema. Hepatorenal changes with renal failure. severe coagulopathy, pancreatitis.

MAKATA: Administer aqueous solution of active carbon and a saline catheter of sodium sulphate.

MAELEZO KWA DAKTARI: Tibu mgonjwa kulingana na dalili za maumivu. In case of ingestion use digestive decontamination in accordance with the level consciousness.

Wakati wa kusumika piga simu bila malipo (masaa 24): 0800720021/0800730030

ILANI KWA MTUMIAJI

Dawa hii sharti itumiwe kulingana na maagizoyaliyo kwenye kibandiko. Ni hatia chini ya sheria za madawa ya kuangamiza wadudu waharibifutumia au kuhifadhi dawa hii katika hali isiyosalama.

THIBITISHO

Dhamana ya muuzaji ni maelezo yaliyo kwenyekibandiko ambayo ni lazima yafuatwekikamilifu. Mfunuzi lazima akubali hatari zozote zinazoweza kutokana na matumizi ya dawa hii kwa binadamu au mali na lazima ikubali dawa hii katika hali hiyo.



ELGON KENYA LIMITED
Your Leader in Crop Protection

General Information:
AGROCELHONE - D is a vapour producing soil fumigant for pre plant treatment for the control of nematodes in pineapples.

Mode of Application: FOR OWN USE BY DELMONTE ONLY.
Application must be made on bare soil, previously well cultivated, tumbled 7 leveled. Treatment can be done in 2 ways:
1. Dilution with water and injection to the drip system at a spacing of 5 - 6 nozzles per square meter to obtain a thorough distribution not exceeding 10ml/m² (not less than 10ml/m²). After application, keep running water for 15 - 20 min (infuse 5-10 liter/ha meter in need damage to the system).
2. By direct injection using suitable fumigant application machines pulled tractor, with blades spaced not more than 150 cm and depth 15 - 20cm deep in the soil.

RECOMMENDATION FOR USE:

| CROP | PEST | APPLICATION RATE |
|-----------|---------------------|------------------------------|
| Pineapple | Root knot nematodes | 1000g/ha (MD, 384 - 788 /ha) |

Pre Harvest interval: 21 days
Cleaning of application equipment:
1,3 dichloropropene is corrosive, therefore all equipment should be cleaned out with diesel or paraffin immediately after use. 1,3 dichloropropene is corrosive to mild steel and PVC at concentration above 2000 ppm. Only stainless steel, polythene and neoprene should be used for pipes, seals and valves. Do not use pumps, containers or other transfer equipment made of aluminium, magnesium or their alloys. Agrocethone - D may severely be corrosive to such metals.

Manufacturer/ Wategenszajt:
Aroquimicos De Levante, S.A.
P.O. BOX 40111 - 00100, Nairobi Kenya.
Tel: +34 96 751 100

Agent:
Aroquimicos De Levante Kenya Ltd
P.O. BOX 40111 - 00100, Nairobi Kenya.
Tel: +34 96 751 100

Washing (laabi):
They must be washed with water after use to avoid any effects on the operator's environment.

Manufacturer/ Wategenszajt:
Aroquimicos De Levante, S.A.
P.O. BOX 40111 - 00100, Nairobi Kenya.
Tel: +34 96 751 100

AGROCELHONE - D DEC

EMULSIFIABLE CONCENTRATE
LIQUID SOIL FUMIGANT

Pre plant soil fumigant for the control of nematodes in pineapples. (Kwa dudu kinachodhibiti nyungunyugu kwa namazi, kabla ya kupanda.)

COMMERCIAL & AGRICULTURAL CLASS:
READ THE LABEL & ATTACHED LEAFLET BEFORE USING.

TUBAL CLASS:
KUMINDA LA BIASHARA NA KUMIMO

RESTRICTED CLASS:
KUTUMIA (SOMA KIBANDIJO) KABLA YA GUARANTEE (DHAMANA):
KISHIKI LILIOZWA

1,3 Dichloropropene (Organic compound) 1116g/l

REGISTRATION NO. INAMBARARI YA USA: ILLI, PC28 (C9) 1071

KEEP OUT OF REACH OF CHILDREN
(FUNGIA MRALI NA WATOTO)

Warning (laabi):
They must be washed with water after use to avoid any effects on the operator's environment.

Agent:
Aroquimicos De Levante Kenya Ltd
P.O. BOX 40111 - 00100, Nairobi Kenya.
Tel: +34 96 751 100

20 Ltr.

ELGON KENYA LIMITED
Your Leader in Crop Protection

TEL: 0733099992 / 0722203069

AGROCELHONE - D DEC

Maelezo:
AGROCELHONE - D ni kwa dudu inyoa mude na hufunwa kwa gamba ambayo imefwa ili kofishi nyungunyugu kwa namazi.

Jinsi laiyatumika: Agrocethone - D hufunwa kwa shamba ambayo imefwa na kutadawa wazi, kwenye kusababwa kwa njia mbili:
1. Iliyeyuka kwa maji kisi na kuigitha kwenye mifereji ya maji kwa ubana wa nocities 5 - 6 kwa meter hili kwa unan sawa dawu, na spungu mlifita 0.6 ya dawu kwa lita. Baada ya mnyuzo wa dawu hii, waka maji kwa muda utiunguwa dakika 15 - 30 ili kuodha makali ya dawu lityosala.
2. Kwa kutuma vifaa maalum vya kusambaza dawu hii zinazo vitwa na trecta, na vitu vya machine vye na ubana utabidi centimeter 30 na vikingo chya ya undogo kwa centimeter 15 - 30.

MAPENDEKEZO YA MATUMIZI: kabinawa kutama Agrocethone - D kisi cha kilo 267 kwa hekta ili kutabiti nyungunyugu sugu.

| NIMEA | WADUUDU | VIPIMO VYA MATUMIZI |
|--------|--------------------|------------------------------------------------|
| Nanazi | Root knot nematode | Gramu 50 - 100/ meter Uja 384 - 788 kwa Hekta. |

Muda salama wa kuvua: siku 21
Kusafisha vilaa vya dawu:
Agrocethone - D husababisha ulkaji wa metali, hivyo vilaa vilivyotumika vuna paswa kusafishwa na maluta ya uja au diesel.

Shelf life: 2 years from date of manufacture when stored in original unopened container in a cool dry place. **Miaisha Rutuni:** Miaka 2 baada ya kutengenezwa kama imewekwa kwenye chombo chake asili ambacho hakijafunguliwa mahali pakavu)

Mh. date/Tarehe ya kutengenezwa: }
Batch No./Nambari ya Kifurahi: } See on Pack/ Ota kwenye chupa.
Expiry date/Tumia kabla ya: }

FOR MORE INFORMATION READ THE ATTACHED LABEL

KWA MAELEZO Zaidi SOMA KIFURISHI KUCHO BANDIWA